

Reference Sheet for Delphi-Terminals

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	USA / Euro Cable	PSG Tool P/N	DELPHI P/N	Rennsteig P/N
15363934	Metri Pack 150SLD	Female	.75		European	HT21510404-1	TBD	R624 1404
15363934	Metri Pack 150SLD	Female	.50	20	European	HT21510404-1	TBD	R624 1404
15363934	Metri Pack 150SLD / TANG	Female	1	16	European	HT21510404-1	TBD	R624 1404
12147473	Ducon 6.3SLD	Female	1.5		European	HT66312409-1	TBD	R624 1409
12147473	Ducon 6.3SLD	Female	2.5		European	HT66312409-1	TBD	R624 1409
12147473	Ducon 6.3SLD	Female	2	14	European	HT66312409-1	TBD	R624 1409
15344632	Ducon 6.3SLD	Male	1.5		European	HT66312409-1	TBD	R624 1409
15344632	Ducon 6.3SLD	Male	2.5		European	HT66312409-1	TBD	R624 1409
15344632	Ducon 6.3SLD	Male	2	14	European	HT66312409-1	TBD	R624 1409
10724472	Ducon 1.5	Female	.75		European	HT60002410-1	TBD	R624 1410
10724472	Ducon 1.5	Female	.50	20	European	HT60002410-1	TBD	R624 1410
10724472	Ducon 1.5	Female	1	16	European	HT60002410-1	TBD	R624 1410
10726087	Ducon 1.5	Male	.75		European	HT60002410-1	TBD	R624 1410
10726087	Ducon 1.5	Male	.50	20	European	HT60002410-1	TBD	R624 1410
10726087	Ducon 1.5	Male	1	16	European	HT60002410-1	TBD	R624 1410
12147299	Ducon 1.5	Male	.75		European	HT60002410-1	TBD	R624 1410
12147299	Ducon 1.5	Male	.50	20	European	HT60002410-1	TBD	R624 1410
12147299	Ducon 1.5	Male	1	16	European	HT60002410-1	TBD	R624 1410
12147302	Ducon 1.5	Female	.75		European	HT60002410-1	TBD	R624 1410
12147302	Ducon 1.5	Female	.50	20	European	HT60002410-1	TBD	R624 1410
12147302	Ducon 1.5	Female	1	16	European	HT60002410-1	TBD	R624 1410
12147400	Ducon 2.8	Male	.75		European	HT60002410-1	TBD	R624 1410
12147400	Ducon 2.8	Male	.50	20	European	HT60002410-1	TBD	R624 1410
12147400	Ducon 2.8	Male	1	16	European	HT60002410-1	TBD	R624 1410
12147451	Ducon 2.8	Female	.75		European	HT60002410-1	TBD	R624 1410
12147451	Ducon 2.8	Female	.50	20	European	HT60002410-1	TBD	R624 1410
12147451	Ducon 2.8	Female	1	16	European	HT60002410-1	TBD	R624 1410
12147300	Ducon 1.5	Male	1.5		European	HT60002411-1	TBD	R624 1411
12147300	Ducon 1.5	Male	2.5		European	HT60002411-1	TBD	R624 1411

Reference Sheet for Delphi-Terminals

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	USA / Euro Cable	PSG Tool P/N	DELPHI P/N	Rennsteig P/N
12147300	Ducon 1.5	Male	2	14	European	HT60002411-1	TBD	R624 1411
12147301	Ducon 2.8	Male	1.5		European	HT60002411-1	TBD	R624 1411
12147301	Ducon 2.8	Male	2.5		European	HT60002411-1	TBD	R624 1411
12147301	Ducon 2.8	Male	2	14	European	HT60002411-1	TBD	R624 1411
12147303	Ducon 1.5	Female	1.5		European	HT60002411-1	TBD	R624 1411
12147303	Ducon 1.5	Female	2.5		European	HT60002411-1	TBD	R624 1411
12147303	Ducon 1.5	Female	2	14	European	HT60002411-1	TBD	R624 1411
12147304	Ducon 2.8	Female	1.5		European	HT60002411-1	TBD	R624 1411
12147304	Ducon 2.8	Female	2.5		European	HT60002411-1	TBD	R624 1411
12147304	Ducon 2.8	Female	2	14	European	HT60002411-1	TBD	R624 1411
12191818	GT 150SLD	Female	.35	22	European	HT11512413-1	TBD	R624 1413
12191818	GT 150SLD	Female	.50	20	European	HT11512413-1	TBD	R624 1413
12191819	GT 150SLD	Female	.75		European	HT11512413-1	TBD	R624 1413
12191819	GT 150SLD	Female	1	16	European	HT11512413-1	TBD	R624 1413
15305350	GT 150SLD	Female	.75		European	HT11512413-1	TBD	R624 1413
15305350	GT 150SLD	Female	1	16	European	HT11512413-1	TBD	R624 1413
15326268	GT 150SLD	Male	.35	22	European	HT11512413-1	TBD	R624 1413
15326268	GT 150SLD	Male	.50	20	European	HT11512413-1	TBD	R624 1413
15326269	GT 150SLD	Male	.75		European	HT11512413-1	TBD	R624 1413
15326269	GT 150SLD	Male	1	16	European	HT11512413-1	TBD	R624 1413
15326426	GT 150SLD	Female	.35	22	European	HT11512413-1	TBD	R624 1413
15326426	GT 150SLD	Female	.50	20	European	HT11512413-1	TBD	R624 1413
15326427	GT 150SLD	Female	.75		European	HT11512413-1	TBD	R624 1413
15326427	GT 150SLD	Female	1	16	European	HT11512413-1	TBD	R624 1413
12158097	Ducon 1.5SLD	Female	.75		European	HT60012417-1	TBD	R624 1417
12158097	Ducon 1.5SLD	Female	.50	20	European	HT60012417-1	TBD	R624 1417
12158097	Ducon 1.5SLD	Female	1	16	European	HT60012417-1	TBD	R624 1417
12158098	Ducon 2.8SLD	Female	.75		European	HT60012417-1	TBD	R624 1417
12158098	Ducon 2.8SLD	Female	.50	20	European	HT60012417-1	TBD	R624 1417

Reference Sheet for Delphi-Terminals

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	USA / Euro Cable	PSG Tool P/N	DELPHI P/N	Rennsteig P/N
12158098	Ducon 2.8SLD	Female	1	16	European	HT60012417-1	TBD	R624 1417
12158104	Ducon 1.5SLD	Male	.75		European	HT60012417-1	TBD	R624 1417
12158104	Ducon 1.5SLD	Male	.50	20	European	HT60012417-1	TBD	R624 1417
12158104	Ducon 1.5SLD	Male	1	16	European	HT60012417-1	TBD	R624 1417
12185129	Ducon 2.8SLD	Male	.75		European	HT60012417-1	TBD	R624 1417
12185129	Ducon 2.8SLD	Male	.50	20	European	HT60012417-1	TBD	R624 1417
12185129	Ducon 2.8SLD	Male	1	16	European	HT60012417-1	TBD	R624 1417
15337281	Metri Pack 150SLD	Female	1.5		European	HT21510418-1	TBD	R624 1418
15337281	Metri Pack 150SLD	Female	1	16	European	HT21510418-1	TBD	R624 1418
12066214	Metri Pack 280	Female	1.5		European	HT22800419-1	TBD	R624 1419
12066214	Metri Pack 280	Female	1	16	European	HT22800419-1	TBD	R624 1419
12066214	Metri Pack 280	Female	2	14	European	HT22800419-1	TBD	R624 1419
12077413	Metri Pack 280SLD	Female	4		European	HT22810420-1	TBD	R624 1420
12077413	Metri Pack 280SLD	Female	3	12	European	HT22810420-1	TBD	R624 1420
15326266	GT 150SLD	Female	.35	22	European	HT11510422-1	TBD	R624 1422
15326266	GT 150SLD	Female	.50	20	European	HT11510422-1	TBD	R624 1422
12191298	GT 150	Female	.35	22	European	HT11500424-1	TBD	R624 1424
12191298	GT 150	Female	.50	20	European	HT11500424-1	TBD	R624 1424
12034046	Metri Pack 280	Female	.75		European	HT22800425-1	TBD	R624 1425
12034046	Metri Pack 280	Female	.50	20	European	HT22800425-1	TBD	R624 1425
12034046	Metri Pack 280	Female	1	16	European	HT22800425-1	TBD	R624 1425
15363933	Metri Pack 280 SLD	Male	1.5		European	HT22812426-1	TBD	R624 1426
15363933	Metri Pack 280 SLD	Male	1	16	European	HT22812426-1	TBD	R624 1426
15363933	Metri Pack 280 SLD	Male	2	14	European	HT22812426-1	TBD	R624 1426
10717964	Ducon 1.5SLD	Female	1.5		European	HT60012427-1	TBD	R624 1427
10717964	Ducon 1.5SLD	Female	2.5		European	HT60012427-1	TBD	R624 1427
10717964	Ducon 1.5SLD	Female	2	14	European	HT60012427-1	TBD	R624 1427
10724374	Ducon 1.5SLD	Male	1.5		European	HT60012427-1	TBD	R624 1427
10724374	Ducon 1.5SLD	Male	2.5		European	HT60012427-1	TBD	R624 1427

Reference Sheet for Delphi-Terminals

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	USA / Euro Cable	PSG Tool P/N	DELPHI P/N	Rennsteig P/N
10724374	Ducon 1.5SLD	Male	2	14	European	HT60012427-1	TBD	R624 1427
12185008	Ducon 2.8SLD	Male	1.5		European	HT60012427-1	TBD	R624 1427
12185008	Ducon 2.8SLD	Male	2.5		European	HT60012427-1	TBD	R624 1427
12185008	Ducon 2.8SLD	Male	2	14	European	HT60012427-1	TBD	R624 1427
12185237	Ducon 2.8SLD	Male	1.5		European	HT60012427-1	TBD	R624 1427
12185237	Ducon 2.8SLD	Male	2.5		European	HT60012427-1	TBD	R624 1427
12185237	Ducon 2.8SLD	Male	2	14	European	HT60012427-1	TBD	R624 1427
12147474	Ducon 6.3SLD	Female	4		European	HT66312428-1	TBD	R624 1428
12147474	Ducon 6.3SLD	Female	6		European	HT66312428-1	TBD	R624 1428
10717927	Ducon 4.8SLD	Female	4		European	HT64812429-1	TBD	R624 1429
10717927	Ducon 4.8SLD	Female	6		European	HT64812429-1	TBD	R624 1429
10724435	Ducon 4.8SLD	Female	4		European	HT64812429-1	TBD	R624 1429
10724435	Ducon 4.8SLD	Female	6		European	HT64812429-1	TBD	R624 1429
15304720	GT 280SLD	Female	1.5		European	HT12812431-1	TBD	R624 1431
15304720	GT 280SLD	Female	2.5		European	HT12812431-1	TBD	R624 1431
15304720	GT 280SLD	Female	2	14	European	HT12812431-1	TBD	R624 1431
15304720	GT 280SLD	Female	3	12	European	HT12812431-1	TBD	R624 1431
15304732	GT 280SLD	Male	1.5		European	HT12812431-1	TBD	R624 1431
15304732	GT 280SLD	Male	2.5		European	HT12812431-1	TBD	R624 1431
15304732	GT 280SLD	Male	2	14	European	HT12812431-1	TBD	R624 1431
15304732	GT 280SLD	Male	3	12	European	HT12812431-1	TBD	R624 1431
12110845	Metri Pack 280 Tangless SLD	Female	2.5		European	HT22810433-1	TBD	R624 1433
12110845	Metri Pack 280 Tangless SLD	Female	2	14	European	HT22810433-1	TBD	R624 1433
12110845	Metri Pack 280 Tangless SLD	Female	3	12	European	HT22810433-1	TBD	R624 1433
12129493	Metri Pack 280SLD	Female	2.5		European	HT22810433-1	TBD	R624 1433
12129493	Metri Pack 280SLD	Female	2	14	European	HT22810433-1	TBD	R624 1433
12129493	Metri Pack 280SLD	Female	3	12	European	HT22810433-1	TBD	R624 1433
12045773	Metri Pack 150SLD	Male	.75		European	HT21511435-1	TBD	R624 1435
12045773	Metri Pack 150SLD	Male	.50	20	European	HT21511435-1	TBD	R624 1435

Reference Sheet for Delphi-Terminals

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	USA / Euro Cable	PSG Tool P/N	DELPHI P/N	Rennsteig P/N
12048254	Metri Pack 280SLD	Male	4		European	HT22811436-1	TBD	R624 1436
12048254	Metri Pack 280SLD	Male	3	12	European	HT22811436-1	TBD	R624 1436
12129497	Metri Pack 280SLD	Male	2.5		European	HT22811437-1	TBD	R624 1437
12129497	Metri Pack 280SLD	Male	2	14	European	HT22811437-1	TBD	R624 1437
12129497	Metri Pack 280SLD	Male	3	12	European	HT22811437-1	TBD	R624 1437
12077628	Metri Pack 150 SLD	Male	.35	22	European	HT21511439-1	TBD	R624 1439
12077628	Metri Pack 150 SLD	Male	.50	20	European	HT21511439-1	TBD	R624 1439
10724458	Ducon 9.5	Female	4		European	HT69500442-1	TBD	R624 1442
10724458	Ducon 9.5	Female	6		European	HT69500442-1	TBD	R624 1442
15423149	DHD 1.6	Female	1	16	USA	HT51602447-5	13782640	R624 1447
15424450	DHD 1.6	Female	1	16	USA	HT51602447-5	13782640	R624 1447
15424453	DHD 1.6	Female	.8	18	USA	HT51602447-5	13782640	R624 1447
15424450	DHD 1.6	Female	.80	18	European	HT51602447-1	TBD	R624 1447
15424450	DHD 1.6	Female	1	16	European	HT51602447-1	TBD	R624 1447
15424453	DHD 1.6	Male	1	16	European	HT51602447-1	TBD	R624 1447
15424453	DHD 1.6	Male	.80	18	European	HT51602447-1	TBD	R624 1447
12084912	Micro 100 W	Female	.75		European	HT42000448-1	TBD	R624 1448
12084912	Micro 100 W	Female	1	16	European	HT42000448-1	TBD	R624 1448
12084913	Micro 100 W	Female	.35	22	European	HT42000448-1	TBD	R624 1448
12084913	Micro 100 W	Female	.50	20	European	HT42000448-1	TBD	R624 1448
12124580	Weather Pack Sealed	Female	1	16	European	HT31012449-5	TBD	R624 1449
12124581	Weather Pack Sealed	Female	2.5		European	HT31012449-5	TBD	R624 1449
10717508	Weather Pack Sealed	Male	1.5		European	HT31012451-1	TBD	R624 1451
10717508	Weather Pack Sealed	Male	2	14	European	HT31012451-1	TBD	R624 1451
10717508	Weather Pack Sealed	Male	2.5		European	HT31012451-1	TBD	R624 1451
10717510	Weather Pack Sealed	Female	1.5		European	HT31012451-1	TBD	R624 1451
10717510	Weather Pack Sealed	Female	2.5		European	HT31012451-1	TBD	R624 1451
10717510	Weather Pack Sealed	Female	2	14	European	HT31012451-1	TBD	R624 1451
12124580	Weather Pack Sealed	Female	1.5		European	HT31012451-1	TBD	R624 1451

Reference Sheet for Delphi-Terminals

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	USA / Euro Cable	PSG Tool P/N	DELPHI P/N	Rennsteig P/N
12124580	Weather Pack Sealed	Female	1	16	European	HT31012451-1	TBD	R624 1451
12124580	Weather Pack Sealed	Female	2	14	European	HT31012451-1	TBD	R624 1451
12124582	Weather Pack Sealed	Male	1.5		European	HT31012451-1	TBD	R624 1451
12124582	Weather Pack Sealed	Male	1	16	European	HT31012451-1	TBD	R624 1451
12124582	Weather Pack Sealed	Male	2	14	European	HT31012451-1	TBD	R624 1451
12020801	Weather Pack Sealed	Female	.35	22	European	HT31012452-1	TBD	R624 1452
12034051	Weather Pack Sealed	Female	X		European	HT31012452-1	TBD	R624 1452
12089040	Weather Pack Sealed	Male	.75		European	HT31012452-1	TBD	R624 1452
12089040	Weather Pack Sealed	Male	.50	20	European	HT31012452-1	TBD	R624 1452
12089040	Weather Pack Sealed	Male	1	16	European	HT31012452-1	TBD	R624 1452
12089188	Weather Pack Sealed	Female	.75		European	HT31012452-1	TBD	R624 1452
12089188	Weather Pack Sealed	Female	.8	18	European	HT31012452-1	TBD	R624 1452
12089188	Weather Pack Sealed	Female	.50	20	European	HT31012452-1	TBD	R624 1452
12089188	Weather Pack Sealed	Female	1	16	European	HT31012452-1	TBD	R624 1452
12089307	Weather Pack Sealed	Female	.35	22	European	HT31012452-1	TBD	R624 1452
12131396	Ducon 0.8	Male	.75		European	HT60802453-1	TBD	R624 1453
12131396	Ducon 0.8	Male	.50	20	European	HT60802453-1	TBD	R624 1453
12131396	Ducon 0.8	Male	1	16	European	HT60802453-1	TBD	R624 1453
12131423	Ducon 0.8	Female	.75		European	HT60802453-1	TBD	R624 1453
12131423	Ducon 0.8	Female	.50	20	European	HT60802453-1	TBD	R624 1453
12131423	Ducon 0.8	Female	1	16	European	HT60802453-1	TBD	R624 1453
12064971	Metri Pack 150	Female	.35	22	European	HT21500454-1	TBD	R624 1454
12064971	Metri Pack 150	Female	.50	20	European	HT21500454-1	TBD	R624 1454
15317877	Metri Pack 150	Female	.35	22	European	HT21500454-1	TBD	R624 1454
15317877	Metri Pack 150	Female	.50	20	European	HT21500454-1	TBD	R624 1454
15317878	Metri Pack 150	Female	.75		European	HT21500454-1	TBD	R624 1454
15317878	Metri Pack 150	Female	1	16	European	HT21500454-1	TBD	R624 1454
12048074	Metri Pack 150SLD	Female	.75		European	HT21510455-1	TBD	R624 1455
12048074	Metri Pack 150SLD	Female	1	16	European	HT21510455-1	TBD	R624 1455

Reference Sheet for Delphi-Terminals

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	USA / Euro Cable	PSG Tool P/N	DELPHI P/N	Rennsteig P/N
12084200	Metri Pack 150SLD	Female	.35	22	European	HT21510455-1	TBD	R624 1455
12084200	Metri Pack 150SLD	Female	.50	20	European	HT21510455-1	TBD	R624 1455
15304718	GT 280SLD	Female	.35	22	European	HT12812456-1	TBD	R624 1456
15304718	GT 280SLD	Female	.50	20	European	HT12812456-1	TBD	R624 1456
15304719	GT 280SLD	Female	.75		European	HT12812456-1	TBD	R624 1456
15304719	GT 280SLD	Female	1	16	European	HT12812456-1	TBD	R624 1456
15304730	GT 280SLD	Male	.35	22	European	HT12812456-1	TBD	R624 1456
15304730	GT 280SLD	Male	.50	20	European	HT12812456-1	TBD	R624 1456
15304731	GT 280SLD	Male	.75		European	HT12812456-1	TBD	R624 1456
15304731	GT 280SLD	Male	1	16	European	HT12812456-1	TBD	R624 1456
15341541	MTS	Female	.35	22	European	HT43000457-1	TBD	R624 1457
15341541	MTS	Female	.50	20	European	HT43000457-1	TBD	R624 1457
15341542	MTS	Female	.75		European	HT43000457-1	TBD	R624 1457
15356826	Micro 64	Female	.35	22	European	HT46400458-1	TBD	R624 1458
15356826	Micro 64	Female	.50	20	European	HT46400458-1	TBD	R624 1458
15356827	Micro 64	Female	.75		European	HT46400458-1	TBD	R624 1458
12047581	Metri Pack 150	Male	.75		European	HT21501459-1	TBD	R624 1459
12047581	Metri Pack 150	Male	.50	20	European	HT21501459-1	TBD	R624 1459
12047581	Metri Pack 150	Male	1	16	European	HT21501459-1	TBD	R624 1459
12059894	Metri Pack 150	Male	.35	22	European	HT21501459-1	TBD	R624 1459
12059894	Metri Pack 150	Male	.50	20	European	HT21501459-1	TBD	R624 1459
12124075	Metri Pack 150(P2S)	Female	.75		European	HT21500460-1	TBD	R624 1460
12124075	Metri Pack 150(P2S)	Female	1	16	European	HT21500460-1	TBD	R624 1460
12124076	Metri Pack 150.2(P2S)	Female	.35	22	European	HT21500460-1	TBD	R624 1460
12124076	Metri Pack 150.2(P2S)	Female	.50	20	European	HT21500460-1	TBD	R624 1460
12129373	Metri Pack 150	Female	.35	22	European	HT21500461-1	TBD	R624 1461
12129373	Metri Pack 150	Female	.50	20	European	HT21500461-1	TBD	R624 1461
12129484	Metri Pack 150TNGLS	Female	.75		European	HT21500461-1	TBD	R624 1461
12129484	Metri Pack 150TNGLS	Female	1	16	European	HT21500461-1	TBD	R624 1461

Reference Sheet for Delphi-Terminals

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	USA / Euro Cable	PSG Tool P/N	DELPHI P/N	Rennsteig P/N
12089290	Metri Pack 150(P2S)	Female	.35	22	European	HT21500462-1	TBD	R624 1462
12089290	Metri Pack 150(P2S)	Female	.50	20	European	HT21500462-1	TBD	R624 1462
12103881	Metri Pack 150(P2S)	Female	.75		European	HT21500462-1	TBD	R624 1462
12103881	Metri Pack 150(P2S)	Female	1	16	European	HT21500462-1	TBD	R624 1462
12048159	Metri Pack 280SLD	Male	.75		European	HT22812463-1	TBD	R624 1463
12048159	Metri Pack 280SLD	Male	.50	20	European	HT22812463-1	TBD	R624 1463
12077411	Metri Pack 280SLD	Female	.75		European	HT22812463-1	TBD	R624 1463
12077411	Metri Pack 280SLD	Female	.50	20	European	HT22812463-1	TBD	R624 1463
12084201	Metri Pack 280SLD	Female	.35	22	European	HT22812463-1	TBD	R624 1463
12084201	Metri Pack 280SLD	Female	.50	20	European	HT22812463-1	TBD	R624 1463
12124977	Metri Pack 280SLD	Male	.35	22	European	HT22812463-1	TBD	R624 1463
12124977	Metri Pack 280SLD	Male	.50	20	European	HT22812463-1	TBD	R624 1463
12034047	Metri Pack 280	Male	.75		European	HT22801464-1	TBD	R624 1464
12034047	Metri Pack 280	Male	.50	20	European	HT22801464-1	TBD	R624 1464
12034047	Metri Pack 280	Male	1	16	European	HT22801464-1	TBD	R624 1464
12066271	Metri Pack 280	Male	.35	22	European	HT22801464-1	TBD	R624 1464
12066271	Metri Pack 280	Male	.50	20	European	HT22801464-1	TBD	R624 1464
12020116	Metri Pack 280	Male	1.5		European	HT22801465-1	TBD	R624 1465
12020116	Metri Pack 280	Male	1	16	European	HT22801465-1	TBD	R624 1465
12020116	Metri Pack 280	Male	2	14	European	HT22801465-1	TBD	R624 1465
12048451	Metri Pack 480SLD	Female	1.5		European	HT24812466-1	TBD	R624 1466
12048451	Metri Pack 480SLD	Female	2.5		European	HT24812466-1	TBD	R624 1466
12048451	Metri Pack 480SLD	Female	1	16	European	HT24812466-1	TBD	R624 1466
12048451	Metri Pack 480SLD	Female	2	14	European	HT24812466-1	TBD	R624 1466
12065196	Metri Pack 480SLD	Male	1.5		European	HT24812466-1	TBD	R624 1466
12065196	Metri Pack 480SLD	Male	1	16	European	HT24812466-1	TBD	R624 1466
12065196	Metri Pack 480SLD	Male	2	14	European	HT24812466-1	TBD	R624 1466
12020120	Metri Pack 480	Male	1.5		European	HT24802467-1	TBD	R624 1467
12020392	Metri Pack 480	Male	1	16	European	HT24802467-1	TBD	R624 1467

Reference Sheet for Delphi-Terminals

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	USA / Euro Cable	PSG Tool P/N	DELPHI P/N	Rennsteig P/N
12020120	Metri Pack 480	Male	1	16	European	HT24802467-1	TBD	R624 1467
12020120	Metri Pack 480	Male	2	14	European	HT24802467-1	TBD	R624 1467
12124304	Metri Pack 480	Female	1.5		European	HT24802467-1	TBD	R624 1467
12124304	Metri Pack 480	Female	1	16	European	HT24802467-1	TBD	R624 1467
12124304	Metri Pack 480	Female	2	14	European	HT24802467-1	TBD	R624 1467
12052456	Metri Pack 630SLD	Female	4		European	HT26312468-1	TBD	R624 1468
15305232	Metri Pack 630SLD	Female	3	12	European	HT26312468-1	TBD	R624 1468
12066560	Metri Pack 630SLD	Female	3	12	European	HT26312468-1	TBD	R624 1468
12052456	Metri Pack 630SLD	Female	3	12	European	HT26312468-1	TBD	R624 1468
12064736	Metri Pack 630SLD	Female	4		European	HT26312468-1	TBD	R624 1468
12064737	Metri Pack 630SLD	Female	3	12	European	HT26312468-1	TBD	R624 1468
12015870	Metri Pack 630	Female	1.5		European	HT26302469-1	TBD	R624 1469
12015870	Metri Pack 630	Female	1	16	European	HT26302469-1	TBD	R624 1469
12033982	Metri Pack 630	Female	1	16	European	HT26302469-1	TBD	R624 1469
12015839	Metri Pack 630	Female	1	16	European	HT26302469-1	TBD	R624 1469
12015870	Metri Pack 630	Female	2	14	European	HT26302469-1	TBD	R624 1469
12052224	Metri Pack 630	Female	2.5		European	HT26302469-1	TBD	R624 1469
12052224	Metri Pack 630	Female	3	12	European	HT26302469-1	TBD	R624 1469
12052826	Metri Pack 630	Male	2.5		European	HT26302469-1	TBD	R624 1469
12052826	Metri Pack 630	Male	3	12	European	HT26302469-1	TBD	R624 1469
12191811	GT 150	Female	.35	22	European	HT11502470-1	TBD	R624 1470
12191811	GT 150	Female	.50	20	European	HT11502470-1	TBD	R624 1470
12191812	GT 150	Female	.75		European	HT11502470-1	TBD	R624 1470
12191812	GT 150	Female	1	16	European	HT11502470-1	TBD	R624 1470
15304701	GT 150	Male	.35	22	European	HT11502470-1	TBD	R624 1470
15304701	GT 150	Male	.50	20	European	HT11502470-1	TBD	R624 1470
15304702	GT 150	Male	.75		European	HT11502470-1	TBD	R624 1470
15304702	GT 150	Male	1	16	European	HT11502470-1	TBD	R624 1470
15304710	GT 280	Female	.50	20	European	HT12802471-1	TBD	R624 1471

Reference Sheet for Delphi-Terminals

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	USA / Euro Cable	PSG Tool P/N	DELPHI P/N	Rennsteig P/N
15304711	GT 280	Female	.75		European	HT12802471-1	TBD	R624 1471
15304711	GT 280	Female	1	16	European	HT12802471-1	TBD	R624 1471
15304722	GT 280	Male	.35	22	European	HT12802471-1	TBD	R624 1471
15304722	GT 280	Male	.50	20	European	HT12802471-1	TBD	R624 1471
15304723	GT 280	Male	.75		European	HT12802471-1	TBD	R624 1471
15304723	GT 280	Male	1	16	European	HT12802471-1	TBD	R624 1471
15304712	GT 280	Female	1.5		European	HT12802472-1	TBD	R624 1472
15304712	GT 280	Female	2.5		European	HT12802472-1	TBD	R624 1472
15304712	GT 280	Female	2	14	European	HT12802472-1	TBD	R624 1472
15304712	GT 280	Female	3	12	European	HT12802472-1	TBD	R624 1472
15304724	GT 280	Male	1.5		European	HT12802472-1	TBD	R624 1472
15304724	GT 280	Male	2.5		European	HT12802472-1	TBD	R624 1472
15304724	GT 280	Male	2	14	European	HT12802472-1	TBD	R624 1472
15304724	GT 280	Male	3	12	European	HT12802472-1	TBD	R624 1472
12185236	Ducon 4.8SLD	Male	1.5		European	HT64812473-1	TBD	R624 1473
12185236	Ducon 4.8SLD	Male	2.5		European	HT64812473-1	TBD	R624 1473
12185236	Ducon 4.8SLD	Male	2	14	European	HT64812473-1	TBD	R624 1473
12185550	Ducon 4.8SLD	Female	1.5		European	HT64812473-1	TBD	R624 1473
12185550	Ducon 4.8SLD	Female	2.5		European	HT64812473-1	TBD	R624 1473
12185550	Ducon 4.8SLD	Female	2	14	European	HT64812473-1	TBD	R624 1473
12089305	Weather Pack Sealed	Female	1	16	USA	HT31012476-5	13782641	R624 1476
12089305	Weather Pack Sealed	Male	1	16	USA	HT31012476-5	13782641	R624 1476
12089305	Weather Pack Sealed	Female	2	14	USA	HT31012476-5	13782641	R624 1476
12089305	Weather Pack Sealed	Male	2	14	USA	HT31012476-5	13782641	R624 1476
12124580	Weather Pack Sealed	Female	1	16	USA	HT31012476-5	13782641	R624 1476
12124580	Weather Pack Sealed	Male	1	16	USA	HT31012476-5	13782641	R624 1476
12124580	Weather Pack Sealed	Female	2	14	USA	HT31012476-5	13782641	R624 1476
12124580	Weather Pack Sealed	Male	2	14	USA	HT31012476-5	13782641	R624 1476
12124581	Weather Pack Sealed	Female	3	12	USA	HT31012476-5	13782641	R624 1476

Reference Sheet for Delphi-Terminals

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	USA / Euro Cable	PSG Tool P/N	DELPHI P/N	Rennsteig P/N
12124582	Weather Pack Sealed	Female	1	16	USA	HT31012476-5	13782641	R624 1476
12124582	Weather Pack Sealed	Male	1	16	USA	HT31012476-5	13782641	R624 1476
12124582	Weather Pack Sealed	Female	2	14	USA	HT31012476-5	13782641	R624 1476
12124582	Weather Pack Sealed	Male	2	14	USA	HT31012476-5	13782641	R624 1476
12124587	Weather Pack Sealed	Male	3	12	USA	HT31012476-5	13782641	R624 1476
12124587	Weather Pack Sealed	Female	3	12	USA	HT31012476-5	13782641	R624 1476
12124580	Weather Pack Sealed	Female	1	16	European	HT31012476-5	TBD	R624 1476
12124580	Weather Pack Sealed	Female	2	14	European	HT31012476-5	TBD	R624 1476
12124581	Weather Pack Sealed	Female	3	12	European	HT31012476-5	TBD	R624 1476
12124582	Weather Pack Sealed	Male	1	16	European	HT31012476-5	TBD	R624 1476
12124582	Weather Pack Sealed	Male	2	14	European	HT31012476-5	TBD	R624 1476
12124587	Weather Pack Sealed	Male	3	12	European	HT31012476-5	TBD	R624 1476
15359001	Micro Pack 100W	Female	.35	22	USA	HT42000480-5	13782642	R624 1480
15359001	Micro Pack 100W	Female	.5	20	USA	HT42000480-5	13782642	R624 1480
15359002	Micro Pack 100W	Female	.8	18	USA	HT42000480-5	13782642	R624 1480
15359001	Micro-Pack	Female	.35	22	European	HT42000480-5	TBD	R624 1480
15359001	Micro-Pack	Female	.50	20	European	HT42000480-5	TBD	R624 1480
15359002	Micro-Pack	Female	.8	18	European	HT42000480-5	TBD	R624 1480
12020156	Metri Pack 630 P2S	Female	.5	20	USA	HT26300481-5	13782643	R624 1481
12020156	Metri Pack 630 P2S	Female	.8	18	USA	HT26300481-5	13782643	R624 1481
12066614	Metri Pack 630 P2S	Female	1	16	USA	HT26300481-5	13782643	R624 1481
12066614	Metri Pack 630 P2S	Female	2	14	USA	HT26300481-5	13782643	R624 1481
12966505	Metri Pack 630 P2S	Female	1	16	USA	HT26300481-5	13782643	R624 1481
12966505	Metri Pack 630 P2S	Female	2	14	USA	HT26300481-5	13782643	R624 1481
12020156	Metri Pack 630 P2S	Female	.50	20	USA	HT26300481-5	13782643	R624 1481
12020156	Metri Pack 630 P2S	Female	.80	18	USA	HT26300481-5	13782643	R624 1481
12052457	Metri Pack 630 Sealed	Female	.5	20	USA	HT26312482-5	13782644	R624 1482
12052457	Metri Pack 630 Sealed	Female	.8	18	USA	HT26312482-5	13782644	R624 1482
12064734	Metri Pack 630 Sealed	Male	.5	20	USA	HT26312482-5	13782644	R624 1482

Reference Sheet for Delphi-Terminals

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	USA / Euro Cable	PSG Tool P/N	DELPHI P/N	Rennsteig P/N
12064734	Metri Pack 630 Sealed	Male	.8	18	USA	HT26312482-5	13782644	R624 1482
12176854	Metri Pack 630 P2S	Female	3	12	USA	HT26300483-5	13782645	R624 1483
12033997	Metri Pack 630 P2S	Female	3	12	USA	HT26300483-5	13782645	R624 1483
12176854	Metri Pack 630 P2S	Female	5	10	USA	HT26300483-5	13782645	R624 1483
12052456	Metri Pack 630 Sealed	Female	3	12	USA	HT26312484-5	13782646	R624 1484
12052456	Metri Pack 630 Sealed	Female	5	10	USA	HT26312484-5	13782646	R624 1484
12064736	Metri Pack 630 Sealed	Male	5	10	USA	HT26312484-5	13782646	R624 1484
12064737	Metri Pack 630 Sealed	Male	3	12	USA	HT26312484-5	13782646	R624 1484
12066560	Metri Pack 630 Sealed	Female	3	12	USA	HT26312484-5	13782646	R624 1484
12066560	Metri Pack 630 Sealed	Female	5	10	USA	HT26312484-5	13782646	R624 1484
15305232	Metri Pack 630 Sealed	Female	3	12	USA	HT26312484-5	13782646	R624 1484
15305232	Metri Pack 630 Sealed	Female	5	10	USA	HT26312484-5	13782646	R624 1484
12052456	Metri Pack 630 Sealed	Female	3	12	USA	HT26310484-5	13782646	R624 1484
12052456	Metri Pack 630 Sealed	Female	5	10	USA	HT26310484-5	13782646	R624 1484
12064736	Metri Pack 630 Sealed	Male	5	10	USA	HT26310484-5	13782646	R624 1484
12064737	Metri Pack 630 Sealed	Male	3	12	USA	HT26310484-5	13782646	R624 1484
15304710	GT 280 Unsealed	Female	.35	22	USA	HT12802485-5	13782647	R624 1485
15304710	GT 280 Unsealed	Female	.5	20	USA	HT12802485-5	13782647	R624 1485
15304711	GT 280 Unsealed	Female	.8	18	USA	HT12802485-5	13782647	R624 1485
15304711	GT 280 Unsealed	Female	1	16	USA	HT12802485-5	13782647	R624 1485
15304722	GT 280 Unsealed	Male	.35	22	USA	HT12802485-5	13782647	R624 1485
15304722	GT 280 Unsealed	Male	.5	20	USA	HT12802485-5	13782647	R624 1485
15304723	GT 280 Unsealed	Male	.8	18	USA	HT12802485-5	13782647	R624 1485
15304723	GT 280 Unsealed	Male	1	16	USA	HT12802485-5	13782647	R624 1485
15304718	GT 280 Sealed	Female	.35	22	USA	HT12812486-5	13782648	R624 1486
15304718	GT 280 Sealed	Female	.5	20	USA	HT12812486-5	13782648	R624 1486
15304719	GT 280 Sealed	Female	.8	18	USA	HT12812486-5	13782648	R624 1486
15304719	GT 280 Sealed	Female	1	16	USA	HT12812486-5	13782648	R624 1486
15304730	GT 280 Sealed	Male	.35	22	USA	HT12812486-5	13782648	R624 1486

Reference Sheet for Delphi-Terminals

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	USA / Euro Cable	PSG Tool P/N	DELPHI P/N	Rennsteig P/N
15304730	GT 280 Sealed	Male	.5	20	USA	HT12812486-5	13782648	R624 1486
15304731	GT 280 Sealed	Male	.8	18	USA	HT12812486-5	13782648	R624 1486
15304731	GT 280 Sealed	Male	1	16	USA	HT12812486-5	13782648	R624 1486
12191812	GT 150 Unsealed	Female	.8	18	USA	HT11502487-5	13782649	R624 1487
12191812	GT 150 Unsealed	Female	1	16	USA	HT11502487-5	13782649	R624 1487
15304701	GT 150 Unsealed	Male	.35	22	USA	HT11502487-5	13782649	R624 1487
15304701	GT 150 Unsealed	Male	.5	20	USA	HT11502487-5	13782649	R624 1487
15304702	GT 150 Unsealed	Male	.8	18	USA	HT11502487-5	13782649	R624 1487
15304702	GT 150 Unsealed	Male	1	16	USA	HT11502487-5	13782649	R624 1487
15393149	GT 150 Unsealed	Male	.35	22	USA	HT11502487-5	13782649	R624 1487
15393149	GT 150 Unsealed	Male	.5	20	USA	HT11502487-5	13782649	R624 1487
15393150	GT 150 Unsealed	Female	.5	20	USA	HT11502487-5	13782649	R624 1487
15496301	GT 150 Unsealed	Female	.5	20	USA	HT11502487-5	13782649	R624 1487
15496302	GT 150 Unsealed	Female	.8	18	USA	HT11502487-5	13782649	R624 1487
15496302	GT 150 Unsealed	Female	1	16	USA	HT11502487-5	13782649	R624 1487
15497764	GT 150 Unsealed	Male	.8	18	USA	HT11502487-5	13782649	R624 1487
15497764	GT 150 Unsealed	Male	1	16	USA	HT11502487-5	13782649	R624 1487
12191811	GT 150 Unsealed	Female	.35	22	USA	HT11502487-5	13782649	R624 1487
12191811	GT 150 Unsealed	Female	.50	20	USA	HT11502487-5	13782649	R624 1487
15326266	GT 150 Sealed	Female	.35	22	USA	HT11510488-5	13782650	R624 1488
15326266	GT 150 Sealed	Female	.5	20	USA	HT11510488-5	13782650	R624 1488
15326267	GT 150 Sealed	Female	.8	18	USA	HT11510488-5	13782650	R624 1488
15423490	GT 150 Sealed	Female	.35	22	USA	HT11510488-5	13782650	R624 1488
15423490	GT 150 Sealed	Female	.5	20	USA	HT11510488-5	13782650	R624 1488
15482008	GT 150 Sealed	Female	.8	18	USA	HT11510488-5	13782650	R624 1488
12191818	GT 150 Sealed	Female	.35	22	USA	HT11512489-5	13782651	R624 1489
12191818	GT 150 Sealed	Female	.5	20	USA	HT11512489-5	13782651	R624 1489
12191819	GT 150 Sealed	Female	.8	18	USA	HT11512489-5	13782651	R624 1489
12191819	GT 150 Sealed	Female	1	16	USA	HT11512489-5	13782651	R624 1489

Reference Sheet for Delphi-Terminals

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	USA / Euro Cable	PSG Tool P/N	DELPHI P/N	Rennsteig P/N
13522325	GT 150 Sealed	Female	.35	22	USA	HT11512489-5	13782651	R624 1489
13522325	GT 150 Sealed	Female	.5	20	USA	HT11512489-5	13782651	R624 1489
15304707	GT 150 Sealed	Male	.8	18	USA	HT11512489-5	13782651	R624 1489
15304707	GT 150 Sealed	Male	1	16	USA	HT11512489-5	13782651	R624 1489
15326268	GT 150 Sealed	Male	.35	22	USA	HT11512489-5	13782651	R624 1489
15326268	GT 150 Sealed	Male	.5	20	USA	HT11512489-5	13782651	R624 1489
15326269	GT 150 Sealed	Male	.8	18	USA	HT11512489-5	13782651	R624 1489
15326269	GT 150 Sealed	Male	1	16	USA	HT11512489-5	13782651	R624 1489
15326426	GT 150 Sealed	Female	.35	22	USA	HT11512489-5	13782651	R624 1489
15326426	GT 150 Sealed	Female	.5	20	USA	HT11512489-5	13782651	R624 1489
15373402	GT 150 Sealed	Male	.35	22	USA	HT11512489-5	13782651	R624 1489
15373402	GT 150 Sealed	Male	.5	20	USA	HT11512489-5	13782651	R624 1489
15373403	GT 150 Sealed	Male	.8	18	USA	HT11512489-5	13782651	R624 1489
15373403	GT 150 Sealed	Male	1	16	USA	HT11512489-5	13782651	R624 1489
12089290	Metri Pack 150 P2S	Female	.35	22	USA	HT21500490-5	13782652	R624 1490
12089290	Metri Pack 150 P2S	Female	.5	20	USA	HT21500490-5	13782652	R624 1490
12103881	Metri Pack 150 P2S	Female	.8	18	USA	HT21500490-5	13782652	R624 1490
12103881	Metri Pack 150 P2S	Female	1	16	USA	HT21500490-5	13782652	R624 1490
12124075	Metri Pack 150 P2S	Female	.8	18	USA	HT21500490-5	13782652	R624 1490
12124075	Metri Pack 150 P2S	Female	1	16	USA	HT21500490-5	13782652	R624 1490
12124076	Metri Pack 150 P2S	Female	.35	22	USA	HT21500490-5	13782652	R624 1490
12124076	Metri Pack 150 P2S	Female	.5	20	USA	HT21500490-5	13782652	R624 1490
12152248	Metri Pack 150 P2S	Female	1	16	USA	HT21500490-5	13782652	R624 1490
12161184	Metri Pack 150 P2S	Female	.8	18	USA	HT21500490-5	13782652	R624 1490
12161184	Metri Pack 150 P2S	Female	1	16	USA	HT21500490-5	13782652	R624 1490
12162248	Metri Pack 150 P2S	Female	.8	18	USA	HT21500490-5	13782652	R624 1490
12176860	Metri Pack 150 P2S	Female	.8	18	USA	HT21500490-5	13782652	R624 1490
12176860	Metri Pack 150 P2S	Female	1	16	USA	HT21500490-5	13782652	R624 1490
12191005	Metri Pack 150 P2S	Female	.5	20	USA	HT21500490-5	13782652	R624 1490

Reference Sheet for Delphi-Terminals

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	USA / Euro Cable	PSG Tool P/N	DELPHI P/N	Rennsteig P/N
12191054	Metri Pack 150 P2S	Female	.35	22	USA	HT21500490-5	13782652	R624 1490
12191054	Metri Pack 150 P2S	Female	.5	20	USA	HT21500490-5	13782652	R624 1490
12191055	Metri Pack 150 P2S	Female	.35	22	USA	HT21500490-5	13782652	R624 1490
12191056	Metri Pack 150 P2S	Female	.8	18	USA	HT21500490-5	13782652	R624 1490
12191056	Metri Pack 150 P2S	Female	1	16	USA	HT21500490-5	13782652	R624 1490
15426815	MTS-B	Female	.35	22	USA	HT43000491-5	13782653	R624 1491
15426815	MTS-B	Female	.5	20	USA	HT43000491-5	13782653	R624 1491
15426817	MTS-B	Female	.8	18	USA	HT43000491-5	13782653	R624 1491
15426818	MTS-B	Female	.8	18	USA	HT43000491-5	13782653	R624 1491
15426816	MTS-B	Female	.35	22	USA	HT43000491-5	13782653	R624 1491
15426816	MTS-B	Female	.50	20	USA	HT43000491-5	13782653	R624 1491
15304720	GT 280 Sealed	Female	3	12	USA	HT12812492-5	13782654	R624 1492
15304732	GT 280 Sealed	Male	3	12	USA	HT12812492-5	13782654	R624 1492
15326004	GT 280 Sealed	Female	5	10	USA	HT12812492-5	13782654	R624 1492
15392777	GT 280 Sealed	Female	5	10	USA	HT12812492-5	13782654	R624 1492
15304712	GT 280 Unsealed	Female	2	14	USA	HT12802493-5	13782655	R624 1493
15304713	GT 280 Unsealed	Female	5	10	USA	HT12802493-5	13782655	R624 1493
15304724	GT 280 Unsealed	Male	2	14	USA	HT12802493-5	13782655	R624 1493
15304725	GT 280 Unsealed	Male	5	10	USA	HT12802493-5	13782655	R624 1493
15366612	GT 280 Unsealed	Female	5	10	USA	HT12802493-5	13782655	R624 1493
15366613	GT 280 Unsealed	Female	2	14	USA	HT12802493-5	13782655	R624 1493
12084200	Metri Pack 150 Sealed	Female	.35	22	USA	HT21510494-5	13782656	R624 1494
12084200	Metri Pack 150 Sealed	Female	.5	20	USA	HT21510494-5	13782656	R624 1494
12092697	Metri Pack 150 Sealed	Female	.35	22	USA	HT21510494-5	13782656	R624 1494
12092697	Metri Pack 150 Sealed	Female	.5	20	USA	HT21510494-5	13782656	R624 1494
12160222	Metri Pack 150 Sealed	Female	.35	22	USA	HT21510494-5	13782656	R624 1494
12160222	Metri Pack 150 Sealed	Female	.5	20	USA	HT21510494-5	13782656	R624 1494
12161184	Metri Pack 150 P2S	Female	.8	18	USA	HT21510494-5	13782656	R624 1494
12161184	Metri Pack 150 P2S	Female	1	16	USA	HT21510494-5	13782656	R624 1494

Reference Sheet for Delphi-Terminals

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	USA / Euro Cable	PSG Tool P/N	DELPHI P/N	Rennsteig P/N
12176637	Metri Pack 150 Sealed	Female	.35	22	USA	HT21510494-5	13782656	R624 1494
12176637	Metri Pack 150 Sealed	Female	.5	20	USA	HT21510494-5	13782656	R624 1494
12176890	Metri Pack 150 P2S	Female	.8	18	USA	HT21510494-5	13782656	R624 1494
15326306	Metri Pack 150 Sealed	Female	.35	22	USA	HT21510494-5	13782656	R624 1494
15326306	Metri Pack 150 Sealed	Female	.5	20	USA	HT21510494-5	13782656	R624 1494
15326396	Metri Pack 150 Sealed	Female	.35	22	USA	HT21510494-5	13782656	R624 1494
15326396	Metri Pack 150 Sealed	Female	.5	20	USA	HT21510494-5	13782656	R624 1494
15326396	Metri Pack 150 Sealed	Female	.50	20	USA	HT21510494-5	13782656	R624 1494
12191887	Metri Pack 150 Sealed	Male	.5	20	USA	HT21511495-5	13782657	R624 1495
12177150	Metri Pack 150 Sealed	Male	.5	20	USA	HT21511495-5	13782657	R624 1495
12092624	Metri Pack 150 Sealed	Male	.5	20	USA	HT21511495-5	13782657	R624 1495
12045773	Metri Pack 150 Sealed	Male	.5	20	USA	HT21511495-5	13782657	R624 1495
12045773	Metri Pack 150 Sealed	Male	.8	18	USA	HT21511495-5	13782657	R624 1495
12045773	Metri Pack 150 Sealed	Male	1	16	USA	HT21511495-5	13782657	R624 1495
12077628	Metri Pack 150 Sealed	Male	.35	22	USA	HT21511495-5	13782657	R624 1495
12077628	Metri Pack 150 Sealed	Male	.5	20	USA	HT21511495-5	13782657	R624 1495
12092624	Metri Pack 150 Sealed	Male	.8	18	USA	HT21511495-5	13782657	R624 1495
12092624	Metri Pack 150 Sealed	Male	1	16	USA	HT21511495-5	13782657	R624 1495
12092698	Metri Pack 150 Sealed	Male	.35	22	USA	HT21511495-5	13782657	R624 1495
12092698	Metri Pack 150 Sealed	Male	.5	20	USA	HT21511495-5	13782657	R624 1495
12177150	Metri Pack 150 Sealed	Male	.8	18	USA	HT21511495-5	13782657	R624 1495
12177150	Metri Pack 150 Sealed	Male	1	16	USA	HT21511495-5	13782657	R624 1495
12191887	Metri Pack 150 Sealed	Male	.8	18	USA	HT21511495-5	13782657	R624 1495
12191887	Metri Pack 150 Sealed	Male	1	16	USA	HT21511495-5	13782657	R624 1495
12191888	Metri Pack 150 Sealed	Male	.35	22	USA	HT21511495-5	13782657	R624 1495
12191888	Metri Pack 150 Sealed	Male	.5	20	USA	HT21511495-5	13782657	R624 1495
15359163	Metri Pack 150 Sealed	Male	.35	22	USA	HT21511495-5	13782657	R624 1495
15359163	Metri Pack 150 Sealed	Male	.5	20	USA	HT21511495-5	13782657	R624 1495
12064971	Metri Pack 150 Unsealed	Female	.35	22	USA	HT21500496-5	13782658	R624 1496

Reference Sheet for Delphi-Terminals

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	USA / Euro Cable	PSG Tool P/N	DELPHI P/N	Rennsteig P/N
12064971	Metri Pack 150 Unsealed	Female	.5	20	USA	HT21500496-5	13782658	R624 1496
12129373	Metri Pack 150 Unsealed	Female	.35	22	USA	HT21500496-5	13782658	R624 1496
12129373	Metri Pack 150 Unsealed	Female	.5	20	USA	HT21500496-5	13782658	R624 1496
12129484	Metri Pack 150 Unsealed	Female	.8	18	USA	HT21500496-5	13782658	R624 1496
12129484	Metri Pack 150 Unsealed	Female	1	16	USA	HT21500496-5	13782658	R624 1496
13517879	Metri Pack 150 Unsealed	Female	.35	22	USA	HT21500496-5	13782658	R624 1496
13525297	Metri Pack 150 Unsealed	Female	.35	22	USA	HT21500496-5	13782658	R624 1496
13525297	Metri Pack 150 Unsealed	Female	.5	20	USA	HT21500496-5	13782658	R624 1496
15317879	Metri Pack 150 Unsealed	Female	.5	20	USA	HT21500496-5	13782658	R624 1496
12160811	Metri Pack 150 Unsealed	Male	.5	20	USA	HT21501497-5	13782659	R624 1497
12110502	Metri Pack 150 Unsealed	Male	.5	20	USA	HT21501497-5	13782659	R624 1497
12092621	Metri Pack 150 Unsealed	Male	.5	20	USA	HT21501497-5	13782659	R624 1497
12047581	Metri Pack 150 Unsealed	Male	.5	20	USA	HT21501497-5	13782659	R624 1497
12040993	Metri Pack 150 Unsealed	Male	.5	20	USA	HT21501497-5	13782659	R624 1497
12040993	Metri Pack 150 Unsealed	Male	.8	18	USA	HT21501497-5	13782659	R624 1497
12040993	Metri Pack 150 Unsealed	Male	1	16	USA	HT21501497-5	13782659	R624 1497
12047581	Metri Pack 150 Unsealed	Male	.8	18	USA	HT21501497-5	13782659	R624 1497
12047581	Metri Pack 150 Unsealed	Male	1	16	USA	HT21501497-5	13782659	R624 1497
12092621	Metri Pack 150 Unsealed	Male	.8	18	USA	HT21501497-5	13782659	R624 1497
12092621	Metri Pack 150 Unsealed	Male	1	16	USA	HT21501497-5	13782659	R624 1497
12110502	Metri Pack 150 Unsealed	Male	.8	18	USA	HT21501497-5	13782659	R624 1497
12110502	Metri Pack 150 Unsealed	Male	1	16	USA	HT21501497-5	13782659	R624 1497
12160811	Metri Pack 150 Unsealed	Male	.8	18	USA	HT21501497-5	13782659	R624 1497
12160811	Metri Pack 150 Unsealed	Male	1	16	USA	HT21501497-5	13782659	R624 1497
12077413	Metri Pack 280 Sealed	Female	3	12	USA	HT22810498-5	13782660	R624 1498
12077413	Metri Pack 280 Sealed	Female	5	10	USA	HT22810498-5	13782660	R624 1498
12110853	Metri Pack 280 Sealed	Female	3	12	USA	HT22810498-5	13782660	R624 1498
12110853	Metri Pack 280 Sealed	Female	5	10	USA	HT22810498-5	13782660	R624 1498
12129493	Metri Pack 280 Sealed	Female	2	14	USA	HT22810498-5	13782660	R624 1498

Reference Sheet for Delphi-Terminals

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	USA / Euro Cable	PSG Tool P/N	DELPHI P/N	Rennsteig P/N
12129493	Metri Pack 280 Sealed	Female	3	12	USA	HT22810498-5	13782660	R624 1498
12176300	Metri Pack 280 Sealed	Female	2	14	USA	HT22810498-5	13782660	R624 1498
12176300	Metri Pack 280 Sealed	Female	3	12	USA	HT22810498-5	13782660	R624 1498
12176387	Metri Pack 280 Sealed	Female	5	10	USA	HT22810498-5	13782660	R624 1498
12176388	Metri Pack 280 Sealed	Female	2	14	USA	HT22810498-5	13782660	R624 1498
12176388	Metri Pack 280 Sealed	Female	3	12	USA	HT22810498-5	13782660	R624 1498
12077939	Metri Pack 280 P2S	Female	.5	20	USA	HT22810499-5	13782661	R624 1499
12077939	Metri Pack 280 P2S	Female	.8	18	USA	HT22810499-5	13782661	R624 1499
12077939	Metri Pack 280 P2S	Female	1	16	USA	HT22810499-5	13782661	R624 1499
12110158	Metri Pack 280 P2S	Female	.5	20	USA	HT22810499-5	13782661	R624 1499
12110158	Metri Pack 280 P2S	Female	.8	18	USA	HT22810499-5	13782661	R624 1499
12110158	Metri Pack 280 P2S	Female	1	16	USA	HT22810499-5	13782661	R624 1499
12110845	Metri Pack 280 Sealed	Female	2	14	USA	HT22810499-5	13782661	R624 1499
12110845	Metri Pack 280 Sealed	Female	3	12	USA	HT22810499-5	13782661	R624 1499
12160248	Metri Pack 280 P2S	Female	.5	20	USA	HT22810499-5	13782661	R624 1499
12160248	Metri Pack 280 P2S	Female	.8	18	USA	HT22810499-5	13782661	R624 1499
12160248	Metri Pack 280 P2S	Female	1	16	USA	HT22810499-5	13782661	R624 1499
12103360	Metri Pack 280 P2S	Female	.35	22	USA	HT22800500-5	13782662	R624 1500
12103360	Metri Pack 280 P2S	Female	.5	20	USA	HT22800500-5	13782662	R624 1500
12077411	Metri Pack 280 Sealed	Female	.5	20	USA	HT22810501-5	13782663	R624 1501
12077411	Metri Pack 280 Sealed	Female	.8	18	USA	HT22810501-5	13782663	R624 1501
12077411	Metri Pack 280 Sealed	Female	1	16	USA	HT22810501-5	13782663	R624 1501
12176389	Metri Pack 280 Sealed	Female	.8	18	USA	HT22810501-5	13782663	R624 1501
12176389	Metri Pack 280 Sealed	Female	1	16	USA	HT22810501-5	13782663	R624 1501
12077411	Metri Pack 280 Sealed	Female	.35	22	USA	HT22810501-5	13782663	R624 1501
12084201	Metri Pack 280 Sealed	Female	.35	22	USA	HT22812502-5	13782664	R624 1502
12084201	Metri Pack 280 Sealed	Female	.5	20	USA	HT22812502-5	13782664	R624 1502
12110847	Metri Pack 280 Sealed	Female	.8	18	USA	HT22812502-5	13782664	R624 1502
12110847	Metri Pack 280 Sealed	Female	1	16	USA	HT22812502-5	13782664	R624 1502

Reference Sheet for Delphi-Terminals

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	USA / Euro Cable	PSG Tool P/N	DELPHI P/N	Rennsteig P/N
12176390	Metri Pack 280 Sealed	Female	.35	22	USA	HT22812502-5	13782664	R624 1502
12176390	Metri Pack 280 Sealed	Female	.5	20	USA	HT22812502-5	13782664	R624 1502
12124977	Metri Pack 280 Sealed	Male	.35	22	USA	HT22811503-5	13782665	R624 1503
12124977	Metri Pack 280 Sealed	Male	.5	20	USA	HT22811503-5	13782665	R624 1503
12129497	Metri Pack 280 Sealed	Male	2	14	USA	HT22811503-5	13782665	R624 1503
12129497	Metri Pack 280 Sealed	Male	3	12	USA	HT22811503-5	13782665	R624 1503
12020116	Metri Pack 280 Unsealed	Male	2	14	USA	HT22802504-5	13782666	R624 1504
15310040	Metri Pack 280 Unsealed	Male	1	16	USA	HT22802504-5	13782666	R624 1504
12020388	Metri Pack 280 Unsealed	Male	1	16	USA	HT22802504-5	13782666	R624 1504
12020116	Metri Pack 280 Unsealed	Male	1	16	USA	HT22802504-5	13782666	R624 1504
12020388	Metri Pack 280 Unsealed	Male	2	14	USA	HT22802504-5	13782666	R624 1504
12066214	Metri Pack 280 Unsealed	Female	1	16	USA	HT22802504-5	13782666	R624 1504
12066214	Metri Pack 280 Unsealed	Female	2	14	USA	HT22802504-5	13782666	R624 1504
12103347	Metri Pack 280 Unsealed	Female	1	16	USA	HT22802504-5	13782666	R624 1504
12103347	Metri Pack 280 Unsealed	Female	2	14	USA	HT22802504-5	13782666	R624 1504
12129061	Metri Pack 280 Unsealed	Female	.35 (2 cables)	22	USA	HT22802504-5	13782666	R624 1504
12129424	Metri Pack 280 Unsealed	Female	1	16	USA	HT22802504-5	13782666	R624 1504
12129424	Metri Pack 280 Unsealed	Female	2	14	USA	HT22802504-5	13782666	R624 1504
12129663	Metri Pack 280 Unsealed	Female	3	12	USA	HT22802504-5	13782666	R624 1504
12191479	Metri Pack 280 Unsealed	Female	1	16	USA	HT22802504-5	13782666	R624 1504
12191479	Metri Pack 280 Unsealed	Female	2	14	USA	HT22802504-5	13782666	R624 1504
15310040	Metri Pack 280 Unsealed	Male	2	14	USA	HT22802504-5	13782666	R624 1504
15324339	Metri Pack 280 Unsealed	Female	1	16	USA	HT22802504-5	13782666	R624 1504
15324339	Metri Pack 280 Unsealed	Female	2	14	USA	HT22802504-5	13782666	R624 1504
15324341	Metri Pack 280 Unsealed	Female	3	12	USA	HT22802504-5	13782666	R624 1504
15326543	Metri Pack 280 Unsealed	Female	1	16	USA	HT22802504-5	13782666	R624 1504
15326543	Metri Pack 280 Unsealed	Female	2	14	USA	HT22802504-5	13782666	R624 1504
12129061	Metri Pack 280 Unsealed	Female	.35	22	USA	HT22802504-5	13782666	R624 1504
12110842	Metri Pack 280 Unsealed	Female	3	12	USA	HT22800505-5	13782667	R624 1505

Reference Sheet for Delphi-Terminals

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	USA / Euro Cable	PSG Tool P/N	DELPHI P/N	Rennsteig P/N
12124639	Metri Pack 280 Unsealed	Female	.5	20	USA	HT22800505-5	13782667	R624 1505
12124639	Metri Pack 280 Unsealed	Female	.8	18	USA	HT22800505-5	13782667	R624 1505
12162597	Metri Pack 280 Unsealed	Female	3	12	USA	HT22800505-5	13782667	R624 1505
12162622	Metri Pack 280 Unsealed	Female	3	12	USA	HT22800505-5	13782667	R624 1505
12015823	Metri Pack 280 Unsealed	Female	.8	18	USA	HT22802506-5	13782668	R624 1506
12015823	Metri Pack 280 Unsealed	Female	1	16	USA	HT22802506-5	13782668	R624 1506
12020389	Metri Pack 280 Unsealed	Male	.5	20	USA	HT22802506-5	13782668	R624 1506
12020389	Metri Pack 280 Unsealed	Male	.8	18	USA	HT22802506-5	13782668	R624 1506
12020389	Metri Pack 280 Unsealed	Male	1	16	USA	HT22802506-5	13782668	R624 1506
12092696	Metri Pack 280 Unsealed	Female	.8	18	USA	HT22802506-5	13782668	R624 1506
12059147	Metri Pack 280 Unsealed	Female	.8	18	USA	HT22802506-5	13782668	R624 1506
12034046	Metri Pack 280 Unsealed	Female	.8	18	USA	HT22802506-5	13782668	R624 1506
12034046	Metri Pack 280 Unsealed	Female	1	16	USA	HT22802506-5	13782668	R624 1506
12124085	Metri Pack 280 Unsealed	Male	.5	20	USA	HT22802506-5	13782668	R624 1506
12034047	Metri Pack 280 Unsealed	Male	.5	20	USA	HT22802506-5	13782668	R624 1506
12034047	Metri Pack 280 Unsealed	Male	.8	18	USA	HT22802506-5	13782668	R624 1506
12034047	Metri Pack 280 Unsealed	Male	1	16	USA	HT22802506-5	13782668	R624 1506
12059147	Metri Pack 280 Unsealed	Female	1	16	USA	HT22802506-5	13782668	R624 1506
12092696	Metri Pack 280 Unsealed	Female	1	16	USA	HT22802506-5	13782668	R624 1506
12124085	Metri Pack 280 Unsealed	Male	.8	18	USA	HT22802506-5	13782668	R624 1506
12124085	Metri Pack 280 Unsealed	Male	1	16	USA	HT22802506-5	13782668	R624 1506
12110843	Metri Pack 280 Unsealed	Female	.35	22	USA	HT22802507-5	13782669	R624 1507
12110843	Metri Pack 280 Unsealed	Female	.5	20	USA	HT22802507-5	13782669	R624 1507
12129498	Metri Pack 280 Unsealed	Male	2	14	USA	HT22802507-5	13782669	R624 1507
12129498	Metri Pack 280 Unsealed	Male	3	12	USA	HT22802507-5	13782669	R624 1507
12162596	Metri Pack 280 Unsealed	Female	.35	22	USA	HT22802507-5	13782669	R624 1507
12162596	Metri Pack 280 Unsealed	Female	.5	20	USA	HT22802507-5	13782669	R624 1507
12162621	Metri Pack 280 Unsealed	Female	.35	22	USA	HT22802507-5	13782669	R624 1507
12162621	Metri Pack 280 Unsealed	Female	.5	20	USA	HT22802507-5	13782669	R624 1507

Reference Sheet for Delphi-Terminals

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	USA / Euro Cable	PSG Tool P/N	DELPHI P/N	Rennsteig P/N
15359183	Metri Pack 280 Unsealed	Female	.35	22	USA	HT22802507-5	13782669	R624 1507
15359183	Metri Pack 280 Unsealed	Female	.5	20	USA	HT22802507-5	13782669	R624 1507
15484100	Metri Pack 280 Unsealed	Female	.35	22	USA	HT22802507-5	13782669	R624 1507
15484100	Metri Pack 280 Unsealed	Female	.5	20	USA	HT22802507-5	13782669	R624 1507
12052217	Metri Pack 280 Unsealed	Female	.35	22	USA	HT22802508-5	13782670	R624 1508
12052217	Metri Pack 280 Unsealed	Female	.5	20	USA	HT22802508-5	13782670	R624 1508
12066271	Metri Pack 280 Unsealed	Male	.35	22	USA	HT22802508-5	13782670	R624 1508
12066271	Metri Pack 280 Unsealed	Male	.5	20	USA	HT22802508-5	13782670	R624 1508
12110844	Metri Pack 280 Unsealed	Female	.8	18	USA	HT22802508-5	13782670	R624 1508
12110844	Metri Pack 280 Unsealed	Female	1	16	USA	HT22802508-5	13782670	R624 1508
12129422	Metri Pack 280 Unsealed	Female	.35	22	USA	HT22802508-5	13782670	R624 1508
12129422	Metri Pack 280 Unsealed	Female	.5	20	USA	HT22802508-5	13782670	R624 1508
12162595	Metri Pack 280 Unsealed	Female	.8	18	USA	HT22802508-5	13782670	R624 1508
12162595	Metri Pack 280 Unsealed	Female	1	16	USA	HT22802508-5	13782670	R624 1508
12162620	Metri Pack 280 Unsealed	Female	.8	18	USA	HT22802508-5	13782670	R624 1508
12162620	Metri Pack 280 Unsealed	Female	1	16	USA	HT22802508-5	13782670	R624 1508
12176667	Metri Pack 280 Unsealed	Female	.8	18	USA	HT22802508-5	13782670	R624 1508
12176667	Metri Pack 280 Unsealed	Female	1	16	USA	HT22802508-5	13782670	R624 1508
15318039	Metri Pack 280 Unsealed	Male	.35	22	USA	HT22802508-5	13782670	R624 1508
15318039	Metri Pack 280 Unsealed	Male	.5	20	USA	HT22802508-5	13782670	R624 1508
15479524	Metri Pack 280 Unsealed	Female	.8	18	USA	HT22802508-5	13782670	R624 1508
15479524	Metri Pack 280 Unsealed	Female	1	16	USA	HT22802508-5	13782670	R624 1508
12020035	Metri Pack 630 Unsealed	Female	.50 (2 cables)	20	USA	HT26302509-5	13782671	R624 1509
12020035	Metri Pack 630 Unsealed	Female	.80 (2 cables)	18	USA	HT26302509-5	13782671	R624 1509
12084596	Metri Pack 630 Unsealed	Female	2.00 (2 cables)	14	USA	HT26302509-5	13782671	R624 1509
12084596	Metri Pack 630 Unsealed	Female	3.00 (2 cables)	12	USA	HT26302509-5	13782671	R624 1509
12020365	Metri Pack 630 Unsealed	Male	3 (2 cables)	12	USA	HT26302509-5	13782671	R624 1509
12015839	Metri Pack 630 Unsealed	Female	1	16	USA	HT26302510-5	13782672	R624 1510
12015839	Metri Pack 630 Unsealed	Female	2	14	USA	HT26302510-5	13782672	R624 1510

Reference Sheet for Delphi-Terminals

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	USA / Euro Cable	PSG Tool P/N	DELPHI P/N	Rennsteig P/N
12033982	Metri Pack 630 Unsealed	Female	1	16	USA	HT26302510-5	13782672	R624 1510
12015870	Metri Pack 630 Unsealed	Female	1	16	USA	HT26302510-5	13782672	R624 1510
12015865	Metri Pack 630 Unsealed	Female	1	16	USA	HT26302510-5	13782672	R624 1510
12015865	Metri Pack 630 Unsealed	Female	2	14	USA	HT26302510-5	13782672	R624 1510
12015870	Metri Pack 630 Unsealed	Female	2	14	USA	HT26302510-5	13782672	R624 1510
12020126	Metri Pack 630 Unsealed	Male	1	16	USA	HT26302510-5	13782672	R624 1510
12020126	Metri Pack 630 Unsealed	Male	2	14	USA	HT26302510-5	13782672	R624 1510
12020390	Metri Pack 630 Unsealed	Male	1	16	USA	HT26302510-5	13782672	R624 1510
12020390	Metri Pack 630 Unsealed	Male	2	14	USA	HT26302510-5	13782672	R624 1510
12033982	Metri Pack 630 Unsealed	Female	2	14	USA	HT26302510-5	13782672	R624 1510
12052224	Metri Pack 630 Unsealed	Female	3	12	USA	HT26302510-5	13782672	R624 1510
12052826	Metri Pack 630 Unsealed	Male	3	12	USA	HT26302510-5	13782672	R624 1510
12015837	Metri Pack 630 Unsealed	Female	.5	20	USA	HT26300511-5	13782673	R624 1511
12015837	Metri Pack 630 Unsealed	Female	.8	18	USA	HT26300511-5	13782673	R624 1511
12015838	Metri Pack 630 Unsealed	Female	.5	20	USA	HT26300511-5	13782673	R624 1511
12015838	Metri Pack 630 Unsealed	Female	.8	18	USA	HT26300511-5	13782673	R624 1511
12015839	Metri Pack 630 Unsealed	Female	.5	20	USA	HT26300511-5	13782673	R624 1511
12015839	Metri Pack 630 Unsealed	Female	.8	18	USA	HT26300511-5	13782673	R624 1511
12092584	Metri Pack 630 Unsealed	Female	.5	20	USA	HT26300511-5	13782673	R624 1511
12015874	Metri Pack 630 Unsealed	Female	.5	20	USA	HT26300511-5	13782673	R624 1511
12015869	Metri Pack 630 Unsealed	Female	.5	20	USA	HT26300511-5	13782673	R624 1511
12015864	Metri Pack 630 Unsealed	Female	.5	20	USA	HT26300511-5	13782673	R624 1511
12015864	Metri Pack 630 Unsealed	Female	.8	18	USA	HT26300511-5	13782673	R624 1511
12015865	Metri Pack 630 Unsealed	Female	.5	20	USA	HT26300511-5	13782673	R624 1511
12015865	Metri Pack 630 Unsealed	Female	.8	18	USA	HT26300511-5	13782673	R624 1511
12033982	Metri Pack 630 Unsealed	Female	.5	20	USA	HT26300511-5	13782673	R624 1511
12015870	Metri Pack 630 Unsealed	Female	.5	20	USA	HT26300511-5	13782673	R624 1511
12015869	Metri Pack 630 Unsealed	Female	.8	18	USA	HT26300511-5	13782673	R624 1511
12015870	Metri Pack 630 Unsealed	Female	.8	18	USA	HT26300511-5	13782673	R624 1511

Reference Sheet for Delphi-Terminals

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	USA / Euro Cable	PSG Tool P/N	DELPHI P/N	Rennsteig P/N
12015874	Metri Pack 630 Unsealed	Female	.8	18	USA	HT26300511-5	13782673	R624 1511
12020365	Metri Pack 630 Unsealed	Male	3.00 (2 cables)	12	USA	HT26300511-5	13782673	R624 1511
12033982	Metri Pack 630 Unsealed	Female	.8	18	USA	HT26300511-5	13782673	R624 1511
12092584	Metri Pack 630 Unsealed	Female	.8	18	USA	HT26300511-5	13782673	R624 1511
12020035	Metri Pack 630 Unsealed	Female	.50 (2 cables)	20	USA	HT26300511-5	13782673	R624 1511
12020035	Metri Pack 630 Unsealed	Female	.80 (2 cables)	18	USA	HT26300511-5	13782673	R624 1511
12020391	Metri Pack 630 Unsealed	Male	.8	18	USA	HT26302512-5	13782674	R624 1512
12020125	Metri Pack 630 Unsealed	Male	.8	18	USA	HT26302512-5	13782674	R624 1512
12020125	Metri Pack 630 Unsealed	Male	1	16	USA	HT26302512-5	13782674	R624 1512
12020391	Metri Pack 630 Unsealed	Male	1	16	USA	HT26302512-5	13782674	R624 1512
12052222	Metri Pack 630 Unsealed	Female	.35	22	USA	HT26302512-5	13782674	R624 1512
12052222	Metri Pack 630 Unsealed	Female	.5	20	USA	HT26302512-5	13782674	R624 1512
12052225	Metri Pack 630 Unsealed	Female	.35	22	USA	HT26302512-5	13782674	R624 1512
12066268	Metri Pack 630 Unsealed	Female	.35	22	USA	HT26302512-5	13782674	R624 1512
12066275	Metri Pack 630 Unsealed	Female	.35	22	USA	HT26302512-5	13782674	R624 1512
12066276	Metri Pack 630 Unsealed	Female	.5	20	USA	HT26302512-5	13782674	R624 1512
12066454	Metri Pack 630 Unsealed	Male	.35	22	USA	HT26302512-5	13782674	R624 1512
12066454	Metri Pack 630 Unsealed	Male	.5	20	USA	HT26302512-5	13782674	R624 1512
12048159	Metri Pack 280 Sealed	Male	.5	20	USA	HT22812513-5	13782675	R624 1513
12048159	Metri Pack 280 Sealed	Male	.8	18	USA	HT22812513-5	13782675	R624 1513
12048159	Metri Pack 280 Sealed	Male	1	16	USA	HT22812513-5	13782675	R624 1513
12052455	Metri Pack 630 Sealed	Female	1	16	USA	HT26312515-5	13782676	R624 1515
12052455	Metri Pack 630 Sealed	Female	2	14	USA	HT26312515-5	13782676	R624 1515
12064735	Metri Pack 630 Sealed	Male	1	16	USA	HT26312515-5	13782676	R624 1515
12064735	Metri Pack 630 Sealed	Male	2	14	USA	HT26312515-5	13782676	R624 1515
12066559	Metri Pack 630 Sealed	Female	1	16	USA	HT26312515-5	13782676	R624 1515
12066559	Metri Pack 630 Sealed	Female	2	14	USA	HT26312515-5	13782676	R624 1515
12048450	Metri Pack 480 Sealed	Female	.5	20	USA	HT24810516-5	13782677	R624 1516
12048450	Metri Pack 480 Sealed	Female	.8	18	USA	HT24810516-5	13782677	R624 1516

Reference Sheet for Delphi-Terminals

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	USA / Euro Cable	PSG Tool P/N	DELPHI P/N	Rennsteig P/N
12048451	Metri Pack 480 Sealed	Female	1	16	USA	HT24810516-5	13782677	R624 1516
12048451	Metri Pack 480 Sealed	Female	2	14	USA	HT24810516-5	13782677	R624 1516
12065196	Metri Pack 480 Sealed	Male	.8	18	USA	HT24811517-5	13782678	R624 1517
12065196	Metri Pack 480 Sealed	Male	1	16	USA	HT24811517-5	13782678	R624 1517
12065196	Metri Pack 480 Sealed	Male	2	14	USA	HT24811517-5	13782678	R624 1517
12052172	Metri Pack 480 Sealed	Male	5	10	USA	HT24811518-5	13782679	R624 1518
12065197	Metri Pack 480 Sealed	Male	3	12	USA	HT24811518-5	13782679	R624 1518
15332185	Metri Pack 480 Sealed	Female	5	10	USA	HT24812518-5	13782679	R624 1518
12020120	Metri Pack 480 Unsealed	Male	1	16	USA	HT24802519-5	13782680	R624 1519
12020120	Metri Pack 480 Unsealed	Male	2	14	USA	HT24802519-5	13782680	R624 1519
12020392	Metri Pack 480 Unsealed	Male	1	16	USA	HT24802519-5	13782680	R624 1519
12020392	Metri Pack 480 Unsealed	Male	2	14	USA	HT24802519-5	13782680	R624 1519
12052221	Metri Pack 480 Unsealed	Female	3	12	USA	HT24802519-5	13782680	R624 1519
12052827	Metri Pack 480 Unsealed	Male	3	12	USA	HT24802519-5	13782680	R624 1519
12059243	Metri Pack 480 Unsealed	Female	3	12	USA	HT24802519-5	13782680	R624 1519
12124304	Metri Pack 480 Unsealed	Female	1	16	USA	HT24802519-5	13782680	R624 1519
12124304	Metri Pack 480 Unsealed	Female	2	14	USA	HT24802519-5	13782680	R624 1519
12020119	Metri Pack 480 Unsealed	Male	1	16	USA	HT24802519-5	13782680	R624 1519
12020366	Metri Pack 480 Unsealed	Female	.50 & 1.00 (2 cables)	20	USA	HT24800520-5	13782681	R624 1520
12124026	Metri Pack 480 Unsealed	Female	.80 (2 cables)	18	USA	HT24800520-5	13782681	R624 1520
12124026	Metri Pack 480 Unsealed	Female	1.00 (2 cables)	16	USA	HT24800520-5	13782681	R624 1520
12124057	Metri Pack 480 Unsealed	Female	.80 (2 cables)	18	USA	HT24800520-5	13782681	R624 1520
12124057	Metri Pack 480 Unsealed	Female	1.00 (2 cables)	16	USA	HT24800520-5	13782681	R624 1520
12052219	Metri Pack 480 Unsealed	Female	.35	22	USA	HT24802521-5	13782682	R624 1521
12052219	Metri Pack 480 Unsealed	Female	.5	20	USA	HT24802521-5	13782682	R624 1521
12066267	Metri Pack 480 Unsealed	Female	.35	22	USA	HT24802521-5	13782682	R624 1521
12066267	Metri Pack 480 Unsealed	Female	.5	20	USA	HT24802521-5	13782682	R624 1521
12066269	Metri Pack 480 Unsealed	Male	.35	22	USA	HT24802521-5	13782682	R624 1521
12066269	Metri Pack 480 Unsealed	Male	.5	20	USA	HT24802521-5	13782682	R624 1521

Reference Sheet for Delphi-Terminals

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	USA / Euro Cable	PSG Tool P/N	DELPHI P/N	Rennsteig P/N
15336111	Metri Pack 480 Unsealed	Female	.35	22	USA	HT24802521-5	13782682	R624 1521
15336111	Metri Pack 480 Unsealed	Female	.5	20	USA	HT24802521-5	13782682	R624 1521
12048074	Metri Pack 150 Sealed	Female	.5	20	USA	HT21510527-5	13782683	R624 1527
12048074	Metri Pack 150 Sealed	Female	.8	18	USA	HT21510527-5	13782683	R624 1527
12092622	Metri Pack 150 Sealed	Female	.8	18	USA	HT21510527-5	13782683	R624 1527
12092622	Metri Pack 150 Sealed	Female	1	16	USA	HT21510527-5	13782683	R624 1527
12092667	Metri Pack 150 Sealed	Female	.8	18	USA	HT21510527-5	13782683	R624 1527
12092667	Metri Pack 150 Sealed	Female	1	16	USA	HT21510527-5	13782683	R624 1527
12160223	Metri Pack 150 Sealed	Female	.8	18	USA	HT21510527-5	13782683	R624 1527
12160223	Metri Pack 150 Sealed	Female	1	16	USA	HT21510527-5	13782683	R624 1527
12176636	Metri Pack 150 Sealed	Female	.8	18	USA	HT21510527-5	13782683	R624 1527
12176636	Metri Pack 150 Sealed	Female	1	16	USA	HT21510527-5	13782683	R624 1527
15326225	Metri Pack 150 Sealed	Female	.8	18	USA	HT21510527-5	13782683	R624 1527
15326225	Metri Pack 150 Sealed	Female	1	16	USA	HT21510527-5	13782683	R624 1527
15366078	Metri Pack 150 Sealed	Female	.8	18	USA	HT21510527-5	13782683	R624 1527
15366078	Metri Pack 150 Sealed	Female	1	16	USA	HT21510527-5	13782683	R624 1527
12020801	Weather Pack Sealed	Female	.35	22	USA	HT31012528-5	13782684	R624 1528
12089040	Weather Pack Sealed	Male	.5	20	USA	HT31012528-5	13782684	R624 1528
12089040	Weather Pack Sealed	Male	.8	18	USA	HT31012528-5	13782684	R624 1528
12089108	Weather Pack Sealed	Female	.5	20	USA	HT31012528-5	13782684	R624 1528
12089108	Weather Pack Sealed	Female	.8	18	USA	HT31012528-5	13782684	R624 1528
12089188	Weather Pack Sealed	Male	.5	20	USA	HT31012528-5	13782684	R624 1528
12089188	Weather Pack Sealed	Female	.5	20	USA	HT31012528-5	13782684	R624 1528
12089188	Weather Pack Sealed	Male	.8	18	USA	HT31012528-5	13782684	R624 1528
12089307	Weather Pack Sealed	Male	.35	22	USA	HT31012528-5	13782684	R624 1528
12191506	Weather Pack Sealed	Male	.5	20	USA	HT31012528-5	13782684	R624 1528
12191506	Weather Pack Sealed	Male	.8	18	USA	HT31012528-5	13782684	R624 1528
12191586	Weather Pack Sealed	Female	.5	20	USA	HT31012528-5	13782684	R624 1528
12191586	Weather Pack Sealed	Female	.8	18	USA	HT31012528-5	13782684	R624 1528

Reference Sheet for Delphi-Terminals

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	USA / Euro Cable	PSG Tool P/N	DELPHI P/N	Rennsteig P/N
12191587	Weather Pack Sealed	Male	.5	20	USA	HT31012528-5	13782684	R624 1528
12191587	Weather Pack Sealed	Female	.5	20	USA	HT31012528-5	13782684	R624 1528
12191587	Weather Pack Sealed	Male	.8	18	USA	HT31012528-5	13782684	R624 1528
12191587	Weather Pack Sealed	Female	.8	18	USA	HT31012528-5	13782684	R624 1528
12089188	Weather Pack Sealed	Female	.80	18	USA	HT31012528-5	13782684	R624 1528
12129409	Metri Pack 280 Sealed	Female	1	16	USA	HT22812529-5	13782685	R624 1529
12129409	Metri Pack 280 Sealed	Female	2	14	USA	HT22812529-5	13782685	R624 1529
12110846	Metri Pack 280 Sealed	Female	.35	22	USA	HT22812529-5	13782685	R624 1529
12110846	Metri Pack 280 Sealed	Female	.5	20	USA	HT22812529-5	13782685	R624 1529
12048254	Metri Pack 280 Sealed	Male	3	12	USA	HT22812529-5	13782685	R624 1529
12048254	Metri Pack 280 Sealed	Male	5	10	USA	HT22812529-5	13782685	R624 1529
12124977	Metri Pack 280 Sealed	Male	.35	22	USA	HT22812529-5	13782685	R624 1529
12124977	Metri Pack 280 Sealed	Male	.5	20	USA	HT22812529-5	13782685	R624 1529
12129497	Metri Pack 280 Sealed	Male	3	12	USA	HT22812529-5	13782685	R624 1529
12129497	Metri Pack 280 Sealed	Male	5	10	USA	HT22812529-5	13782685	R624 1529
12110853	Metri Pack 280 Sealed	Female	3	12	USA	HT22812529-5	13782685	R624 1529
12110853	Metri Pack 280 Sealed	Female	5	10	USA	HT22812529-5	13782685	R624 1529
12047767	Metri Pack 150 Unsealed	Female	.5	20	USA	HT21500530-5	13782686	R624 1530
12047767	Metri Pack 150 Unsealed	Female	.8	18	USA	HT21500530-5	13782686	R624 1530
12047767	Metri Pack 150 Unsealed	Female	1	16	USA	HT21500530-5	13782686	R624 1530
12092623	Metri Pack 150 Unsealed	Female	.5	20	USA	HT21500530-5	13782686	R624 1530
12092623	Metri Pack 150 Unsealed	Female	.8	18	USA	HT21500530-5	13782686	R624 1530
12092623	Metri Pack 150 Unsealed	Female	1	16	USA	HT21500530-5	13782686	R624 1530
13518011	Metri Pack 150 Unsealed	Female	.5	20	USA	HT21500530-5	13782686	R624 1530
13518011	Metri Pack 150 Unsealed	Female	.8	18	USA	HT21500530-5	13782686	R624 1530
13518011	Metri Pack 150 Unsealed	Female	1	16	USA	HT21500530-5	13782686	R624 1530
15326030	Metri Pack 150 Unsealed	Female	.5	20	USA	HT21500530-5	13782686	R624 1530
15326030	Metri Pack 150 Unsealed	Female	.8	18	USA	HT21500530-5	13782686	R624 1530
15326030	Metri Pack 150 Unsealed	Female	1	16	USA	HT21500530-5	13782686	R624 1530

Reference Sheet for Delphi-Terminals

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	USA / Euro Cable	PSG Tool P/N	DELPHI P/N	Rennsteig P/N
12059293	Metri Pack 480 Unsealed	Female	.5	20	USA	HT24802531-5	13782687	R624 1531
12034426	Metri Pack 480 Unsealed	Female	.5	20	USA	HT24802531-5	13782687	R624 1531
12034132	Metri Pack 480 Unsealed	Female	.5	20	USA	HT24802531-5	13782687	R624 1531
12015860	Metri Pack 480 Unsealed	Female	.5	20	USA	HT24802531-5	13782687	R624 1531
12015860	Metri Pack 480 Unsealed	Female	.8	18	USA	HT24802531-5	13782687	R624 1531
12020393	Metri Pack 480 Unsealed	Male	.5	20	USA	HT24802531-5	13782687	R624 1531
12020119	Metri Pack 480 Unsealed	Male	.5	20	USA	HT24802531-5	13782687	R624 1531
12020119	Metri Pack 480 Unsealed	Male	.8	18	USA	HT24802531-5	13782687	R624 1531
12020119	Metri Pack 480 Unsealed	Male	1	16	USA	HT24802531-5	13782687	R624 1531
12020393	Metri Pack 480 Unsealed	Male	.8	18	USA	HT24802531-5	13782687	R624 1531
12020393	Metri Pack 480 Unsealed	Male	1	16	USA	HT24802531-5	13782687	R624 1531
12034132	Metri Pack 480 Unsealed	Female	.8	18	USA	HT24802531-5	13782687	R624 1531
12034426	Metri Pack 480 Unsealed	Female	.8	18	USA	HT24802531-5	13782687	R624 1531
12059293	Metri Pack 480 Unsealed	Female	.8	18	USA	HT24802531-5	13782687	R624 1531
12040902	Micro Pack 100 Unsealed	Male	.35	22	USA	HT41002532-5	13782688	R624 1532
12040902	Micro Pack 100 Unsealed	Male	.5	20	USA	HT41002532-5	13782688	R624 1532
12146447	Micro Pack 100 Unsealed	Female	.35	22	USA	HT41002532-5	13782688	R624 1532
12146447	Micro Pack 100 Unsealed	Female	.5	20	USA	HT41002532-5	13782688	R624 1532
12146448	Micro Pack 100 Unsealed	Female	.8	18	USA	HT41002532-5	13782688	R624 1532
12146448	Micro Pack 100 Unsealed	Female	1	16	USA	HT41002532-5	13782688	R624 1532
12084449	Micro Pack 100 Unsealed	Male	.5	20	USA	HT41001533-5	13782689	R624 1533
12084449	Micro Pack 100 Unsealed	Male	.8	18	USA	HT41001533-5	13782689	R624 1533
12084912	Micro Pack 100W	Female	.8	18	USA	HT42000534-5	13782690	R624 1534
12084913	Micro Pack 100W	Female	.35	22	USA	HT42000534-5	13782690	R624 1534
12084913	Micro Pack 100W	Female	.5	20	USA	HT42000534-5	13782690	R624 1534
15424449	DHD 1.6	Female	.35	22	USA	HT51602535-5	13782691	R624 1535
15424449	DHD 1.6	Female	.5	20	USA	HT51602535-5	13782691	R624 1535
15424452	DHD 1.6	Male	.35	22	USA	HT51602535-5	13782691	R624 1535
15424452	DHD 1.6	Male	.5	20	USA	HT51602535-5	13782691	R624 1535

Reference Sheet for Delphi-Terminals

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	USA / Euro Cable	PSG Tool P/N	DELPHI P/N	Rennsteig P/N
15424453	DHD 1.6	Male	.8	18	USA	HT51602535-5	13782691	R624 1535
15424453	DHD 1.6	Male	1	16	USA	HT51602535-5	13782691	R624 1535
15424450	DHD 1.6	Female	.8	18	USA	HT51602536-5	13782692	R624 1536
15424450	DHD 1.6	Female	1	16	USA	HT51602536-5	13782692	R624 1536
15424451	DHD 1.6	Female	2	14	USA	HT51602536-5	13782692	R624 1536
15424451	DHD 1.6	Female	3	12	USA	HT51602536-5	13782692	R624 1536
15424454	DHD 1.6	Male	2	14	USA	HT51602536-5	13782692	R624 1536
15424454	DHD 1.6	Male	3	12	USA	HT51602536-5	13782692	R624 1536
12052139	Metri Pack 480 Sealed	Female	3	12	USA	HT24810537-5	13782693	R624 1537
12052139	Metri Pack 480 Sealed	Female	5	10	USA	HT24810537-5	13782693	R624 1537
15332185	Metri Pack 480 Sealed	Female	5	10	USA	HT24810537-5	13782693	R624 1537
13551420	100V DHD 20	Female	.35	22	USA	HT52000538-5	13782694	R624 1538
13551420	100V DHD 20	Female	.5	20	USA	HT52000538-5	13782694	R624 1538
15489000	100V DHD 20	Female	.8	18	USA	HT52000538-5	13782694	R624 1538
15489000	100V DHD 20	Female	1	16	USA	HT52000538-5	13782694	R624 1538
15491265	Yasaki Kaizen 0.64 Micros	Female	.35	22	USA	HT45002539-5	13782695	R624 1539
15491265	Yasaki Kaizen 0.64 Micros	Female	.5	20	USA	HT45002539-5	13782695	R624 1539
15491296	Yasaki Kaizen 0.64 Micros	Female	.35	22	USA	HT45002539-5	13782695	R624 1539
15491296	Yasaki Kaizen 0.64 Micros	Female	.5	20	USA	HT45002539-5	13782695	R624 1539
15435885	100W Sealed	Female	.35	22	USA	HT42010540-5	13782696	R624 1540
15435885	100W Sealed	Female	.5	20	USA	HT42010540-5	13782696	R624 1540
15435886	100W Sealed	Female	.35	22	USA	HT42010540-5	13782696	R624 1540
15435886	100W Sealed	Female	.5	20	USA	HT42010540-5	13782696	R624 1540
12160552	100W Sealed	Male	.35	22	USA	HT42011541-5	13782697	R624 1541
12160552	100W Sealed	Male	.5	20	USA	HT42011541-5	13782697	R624 1541
12129750	100W Sealed	Female	.8	18	USA	HT42010542-5	13782698	R624 1542
12146034	100W Sealed	Female	.35	22	USA	HT42010542-5	13782698	R624 1542
12146034	100W Sealed	Female	.5	20	USA	HT42010542-5	13782698	R624 1542
15317923	100W Sealed	Female	.8	18	USA	HT42010543-5	13782699	R624 1543

Reference Sheet for Delphi-Terminals

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	USA / Euro Cable	PSG Tool P/N	DELPHI P/N	Rennsteig P/N
15317924	100W Sealed	Female	.35	22	USA	HT42010543-5	13782699	R624 1543
15317924	100W Sealed	Female	.5	20	USA	HT42010543-5	13782699	R624 1543
12160551	100W Sealed	Male	.5	20	USA	HT42011544-5	13782700	R624 1544
12160551	100W Sealed	Male	.8	18	USA	HT42011544-5	13782700	R624 1544
15256827	Micro 64 Unsealed Barrel	Female	.5	20	USA	HT46400545-5	13782701	R624 1545
15256827	Micro 64 Unsealed Barrel	Female	.8	18	USA	HT46400545-5	13782701	R624 1545
15329541	Micro 64 Unsealed Barrel	Female	.5	20	USA	HT46400545-5	13782701	R624 1545
15356027	Micro 64 Unsealed Barrel	Female	.5	20	USA	HT46400545-5	13782701	R624 1545
15356027	Micro 64 Unsealed Barrel	Female	.8	18	USA	HT46400545-5	13782701	R624 1545
15356926	Micro 64 Unsealed Barrel	Female	.35	22	USA	HT46400545-5	13782701	R624 1545
15356826	Micro 64 Unsealed Barrel	Female	.35	22	USA	HT46400545-5	13782701	R624 1545
15359541	Micro 64 Unsealed Barrel	Female	.5	20	USA	HT46400545-5	13782701	R624 1545
15359541	Micro 64 Unsealed Barrel	Female	.8	18	USA	HT46400545-5	13782701	R624 1545
15394147	Micro 64 Unsealed Barrel	Female	.35	22	USA	HT46400545-5	13782701	R624 1545
15401440	Micro 64 Unsealed Barrel	Female	.5	20	USA	HT46400545-5	13782701	R624 1545
15401440	Micro 64 Unsealed Barrel	Female	.8	18	USA	HT46400545-5	13782701	R624 1545
15410620	Micro 64 Unsealed Barrel	Female	.35	22	USA	HT46400545-5	13782701	R624 1545
15410621	Micro 64 Unsealed Barrel	Female	.5	20	USA	HT46400545-5	13782701	R624 1545
15410621	Micro 64 Unsealed Barrel	Female	.8	18	USA	HT46400545-5	13782701	R624 1545
15410628	Micro 64 Unsealed Barrel	Female	.35	22	USA	HT46400545-5	13782701	R624 1545
PE075702	Micro 64 Unsealed Barrel	Female	.5	20	USA	HT46400545-5	13782701	R624 1545
PE075702	Micro 64 Unsealed Barrel	Female	.8	18	USA	HT46400545-5	13782701	R624 1545
PE075782	Micro 64 Unsealed Barrel	Female	.5	20	USA	HT46400545-5	13782701	R624 1545
PE075782	Micro 64 Unsealed Barrel	Female	.8	18	USA	HT46400545-5	13782701	R624 1545
13697408	HES 1.6 Thin Wall	Male	.5	20	USA	HT51601597-5	13853877	R624 1597
13697408	HES 1.6 Thin Wall	Male	.8	18	USA	HT51601597-5	13853877	R624 1597
13697409	HES 1.6 Thin Wall	Male	1.0	16	USA	HT51601597-5	13853877	R624 1597
13697410	HES 1.6 Thin Wall	Male	2.0	14	USA	HT51601597-5	13853877	R624 1597
13697411	HES 1.6 Thin Wall	Male	.5	20	USA	HT51601597-5	13853877	R624 1597

Reference Sheet for Delphi-Terminals

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	USA / Euro Cable	PSG Tool P/N	DELPHI P/N	Rennsteig P/N
13697411	HES 1.6 Thin Wall	Male	.8	18	USA	HT51601597-5	13853877	R624 1597
13697412	HES 1.6 Thin Wall	Male	1.0	16	USA	HT51601597-5	13853877	R624 1597
13697413	HES 1.6 Thin Wall	Male	2.0	14	USA	HT51601597-5	13853877	R624 1597
13697414	HES 1.6 Thin Wall	Female	.5	20	USA	HT51601597-5	13853877	R624 1597
13697414	HES 1.6 Thin Wall	Female	.8	18	USA	HT51601597-5	13853877	R624 1597
13697415	HES 1.6 Thin Wall	Female	1.0	16	USA	HT51601597-5	13853877	R624 1597
13697416	HES 1.6 Thin Wall	Female	2.0	14	USA	HT51601597-5	13853877	R624 1597
13697417	HES 1.6 Thin Wall	Female	.5	20	USA	HT51601597-5	13853877	R624 1597
13697417	HES 1.6 Thin Wall	Female	.8	18	USA	HT51601597-5	13853877	R624 1597
13697418	HES 1.6 Thin Wall	Female	1.0	16	USA	HT51601597-5	13853877	R624 1597
13697419	HES 1.6 Thin Wall	Female	2.0	14	USA	HT51601597-5	13853877	R624 1597
13663715	HES 1.6 Regular Wall	Male	.5	20	USA	HT51601598-5	13860274	R624 1598
13663715	HES 1.6 Regular Wall	Male	.8	18	USA	HT51601598-5	13860274	R624 1598
13663716	HES 1.6 Regular Wall	Male	1.0	16	USA	HT51601598-5	13860274	R624 1598
13663717	HES 1.6 Regular Wall	Male	2.0	14	USA	HT51601598-5	13860274	R624 1598
13663718	HES 1.6 Regular Wall	Female	.5	20	USA	HT51601598-5	13860274	R624 1598
13663718	HES 1.6 Regular Wall	Female	.8	18	USA	HT51601598-5	13860274	R624 1598
13663719	HES 1.6 Regular Wall	Female	1.0	16	USA	HT51601598-5	13860274	R624 1598
13663720	HES 1.6 Regular Wall	Female	2.0	14	USA	HT51601598-5	13860274	R624 1598
13690835	HES 1.6 Regular Wall	Female	.8	18	USA	HT51601598-5	13860274	R624 1598
13690836	HES 1.6 Regular Wall	Female	1.0	16	USA	HT51601598-5	13860274	R624 1598
13690837	HES 1.6 Regular Wall	Female	2.0	14	USA	HT51601598-5	13860274	R624 1598
13690838	HES 1.6 Regular Wall	Male	.5	20	USA	HT51601598-5	13860274	R624 1598
13690838	HES 1.6 Regular Wall	Male	.8	18	USA	HT51601598-5	13860274	R624 1598
13690839	HES 1.6 Regular Wall	Male	1.0	16	USA	HT51601598-5	13860274	R624 1598
13690840	HES 1.6 Regular Wall	Male	2.0	14	USA	HT51601598-5	13860274	R624 1598
13690853	HES 1.6 Regular Wall	Female	.5	20	USA	HT51601598-5	13860274	R624 1598
13711542	HES 1.0 Thin Wall	Male	.35	22	USA	HT51001599-5	13882808	R624 1599
13711542	HES 1.0 Thin Wall	Male	.5	20	USA	HT51001599-5	13882808	R624 1599

Reference Sheet for Delphi-Terminals

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	USA / Euro Cable	PSG Tool P/N	DELPHI P/N	Rennsteig P/N
13711543	HES 1.0 Thin Wall	Male	.35	22	USA	HT51001599-5	13882808	R624 1599
13711543	HES 1.0 Thin Wall	Male	.5	20	USA	HT51001599-5	13882808	R624 1599
13711544	HES 1.0 Thin Wall	Male	.8	18	USA	HT51001599-5	13882808	R624 1599
13711544	HES 1.0 Thin Wall	Male	1	16	USA	HT51001599-5	13882808	R624 1599
13711545	HES 1.0 Thin Wall	Male	.8	18	USA	HT51001599-5	13882808	R624 1599
13711545	HES 1.0 Thin Wall	Male	1	16	USA	HT51001599-5	13882808	R624 1599
13711546	HES 1.0 Thin Wall	Female	.35	22	USA	HT51001599-5	13882808	R624 1599
13711546	HES 1.0 Thin Wall	Female	.5	20	USA	HT51001599-5	13882808	R624 1599
13711547	HES 1.0 Thin Wall	Female	.35	22	USA	HT51001599-5	13882808	R624 1599
13711547	HES 1.0 Thin Wall	Female	.5	20	USA	HT51001599-5	13882808	R624 1599
13711548	HES 1.0 Thin Wall	Female	.8	18	USA	HT51001599-5	13882808	R624 1599
13711548	HES 1.0 Thin Wall	Female	1	16	USA	HT51001599-5	13882808	R624 1599
13711549	HES 1.0 Thin Wall	Female	.8	18	USA	HT51001599-5	13882808	R624 1599
13711549	HES 1.0 Thin Wall	Female	1	16	USA	HT51001599-5	13882808	R624 1599
13654421	HES 1.0 Regular Wall	Female	.35	22	USA	HT51001600-5	13882809	R624 1600
13654421	HES 1.0 Regular Wall	Female	.5	20	USA	HT51001600-5	13882809	R624 1600
13654422	HES 1.0 Regular Wall	Female	.35	22	USA	HT51001600-5	13882809	R624 1600
13654422	HES 1.0 Regular Wall	Female	.5	20	USA	HT51001600-5	13882809	R624 1600
13654423	HES 1.0 Regular Wall	Male	.35	22	USA	HT51001600-5	13882809	R624 1600
13654423	HES 1.0 Regular Wall	Male	.5	20	USA	HT51001600-5	13882809	R624 1600
13654424	HES 1.0 Regular Wall	Male	.35	22	USA	HT51001600-5	13882809	R624 1600
13654424	HES 1.0 Regular Wall	Male	.5	20	USA	HT51001600-5	13882809	R624 1600
13663723	HES 1.0 Regular Wall	Male	.8	18	USA	HT51001600-5	13882809	R624 1600
13663723	HES 1.0 Regular Wall	Male	1	16	USA	HT51001600-5	13882809	R624 1600
13663724	HES 1.0 Regular Wall	Male	.8	18	USA	HT51001600-5	13882809	R624 1600
13663724	HES 1.0 Regular Wall	Male	1	16	USA	HT51001600-5	13882809	R624 1600
13663727	HES 1.0 Regular Wall	Female	.8	18	USA	HT51001600-5	13882809	R624 1600
13663727	HES 1.0 Regular Wall	Female	1	16	USA	HT51001600-5	13882809	R624 1600
13663728	HES 1.0 Regular Wall	Female	.8	18	USA	HT51001600-5	13882809	R624 1600

Reference Sheet for Delphi-Terminals

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	USA / Euro Cable	PSG Tool P/N	DELPHI P/N	Rennsteig P/N
13663728	HES 1.0 Regular Wall	Female	1	16	USA	HT51001600-5	13882809	R624 1600
1366717	HES 1.6 Heavy Wall	Male	3	-	USA	TBD	13895391	R624 1601
1366717	HES 1.6 Regular Wall	Male	3	-	USA	TBD	13895391	R624 1601
1369410	HES 1.6 Thin Wall	Male	3	-	USA	TBD	13895391	R624 1601
13663720	HES 1.6 Heavy Wall	Female	3	-	USA	TBD	13895391	R624 1601
13663720	HES 1.6 Regular Wall	Female	3	-	USA	TBD	13895391	R624 1601
13690837	HES 1.6 Heavy Wall	Female	3	-	USA	TBD	13895391	R624 1601
13690837	HES 1.6 Regular Wall	Female	3	-	USA	TBD	13895391	R624 1601
13690840	HES 1.6 Heavy Wall	Male	3	-	USA	TBD	13895391	R624 1601
13690840	HES 1.6 Regular Wall	Male	3	-	USA	TBD	13895391	R624 1601
13697413	HES 1.6 Thin Wall	Male	3	-	USA	TBD	13895391	R624 1601
13697416	HES 1.6 Thin Wall	Female	3	-	USA	TBD	13895391	R624 1601
13697419	HES 1.6 Thin Wall	Female	3	-	USA	TBD	13895391	R624 1601
15471370	GT 150 Sealed	Female	.8	18	USA	HT62401602-5	13915393	R624 1602
15471370	GT 150 Sealed	Female	1.0	16	USA	HT62401602-5	13915393	R624 1602
13783263	HES 2.4 Thin Wall	Male	.75 - 1.00	-	USA	HT52401603-5	13926172	R624 1603
13783265	HES 2.4 Thin Wall	Male	1.50 - 2.50	-	USA	HT52401603-5	13926172	R624 1603
13783267	HES 2.4 Thin Wall	Male	2.00 - 3.00	-	USA	HT52401603-5	13926172	R624 1603
13783269	HES 2.4 Thin Wall	Male	4.00 - 6.00	-	USA	HT52401603-5	13926172	R624 1603
13783273	HES 2.4 Thin Wall	Male	.75 - 1.00	-	USA	HT52401603-5	13926172	R624 1603
13783277	HES 2.4 Thin Wall	Male	1.50 - 2.50	-	USA	HT52401603-5	13926172	R624 1603
13783282	HES 2.4 Thin Wall	Male	2.00 - 3.00	-	USA	HT52401603-5	13926172	R624 1603
13783284	HES 2.4 Thin Wall	Male	4.00 - 6.00	-	USA	HT52401603-5	13926172	R624 1603
13783287	HES 2.4 Thin Wall	Female	.75 - 1.00	-	USA	HT52401603-5	13926172	R624 1603
13783289	HES 2.4 Thin Wall	Female	1.50 - 2.50	-	USA	HT52401603-5	13926172	R624 1603
13783291	HES 2.4 Thin Wall	Female	2.00 - 3.00	-	USA	HT52401603-5	13926172	R624 1603
13783293	HES 2.4 Thin Wall	Female	4.00 - 6.00	-	USA	HT52401603-5	13926172	R624 1603
13783295	HES 2.4 Thin Wall	Female	.75 - 1.00	-	USA	HT52401603-5	13926172	R624 1603
13783297	HES 2.4 Thin Wall	Female	1.50 - 2.50	-	USA	HT52401603-5	13926172	R624 1603

Reference Sheet for Delphi-Terminals

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	USA / Euro Cable	PSG Tool P/N	DELPHI P/N	Rennsteig P/N
13783299	HES 2.4 Thin Wall	Female	2.00 - 3.00	-	USA	HT52401603-5	13926172	R624 1603
13783301	HES 2.4 Thin Wall	Female	4.00 - 6.00	-	USA	HT52401603-5	13926172	R624 1603
13783264	HES 2.4 Regular Wall	Male	.75 - 1.00	-	USA	HT52401604-5	13926169	R624 1604
13783266	HES 2.4 Regular Wall	Male	1.50 - 2.50	-	USA	HT52401604-5	13926169	R624 1604
13783268	HES 2.4 Regular Wall	Male	2.00 - 3.00	-	USA	HT52401604-5	13926169	R624 1604
13783269	HES 2.4 Regular Wall	Male	4.00 - 6.00	-	USA	HT52401604-5	13926169	R624 1604
13783276	HES 2.4 Regular Wall	Male	.75 - 1.00	-	USA	HT52401604-5	13926169	R624 1604
13783280	HES 2.4 Regular Wall	Male	1.50 - 2.50	-	USA	HT52401604-5	13926169	R624 1604
13783283	HES 2.4 Regular Wall	Male	2.00 - 3.00	-	USA	HT52401604-5	13926169	R624 1604
13783284	HES 2.4 Regular Wall	Male	4.00 - 6.00	-	USA	HT52401604-5	13926169	R624 1604
13783288	HES 2.4 Regular Wall	Female	.75 - 1.00	-	USA	HT52401604-5	13926169	R624 1604
13783290	HES 2.4 Regular Wall	Female	1.50 - 2.50	-	USA	HT52401604-5	13926169	R624 1604
13783292	HES 2.4 Regular Wall	Female	2.00 - 3.00	-	USA	HT52401604-5	13926169	R624 1604
13783293	HES 2.4 Regular Wall	Female	4.00 - 6.00	-	USA	HT52401604-5	13926169	R624 1604
13783296	HES 2.4 Regular Wall	Female	.75 - 1.00	-	USA	HT52401604-5	13926169	R624 1604
13783298	HES 2.4 Regular Wall	Female	1.50 - 2.50	-	USA	HT52401604-5	13926169	R624 1604
13783300	HES 2.4 Regular Wall	Female	2.00 - 3.00	-	USA	HT52401604-5	13926169	R624 1604
13783301	HES 2.4 Regular Wall	Female	4.00 - 6.00	-	USA	HT52401604-5	13926169	R624 1604
13601869	JST AIT 064 F. Terminal	Female	0.5	20	USA	-	13782720	R624 363
13601869	JST AIT 064 F. Terminal	Female	0.35	22	USA	-	13782720	R624 363
15465970	Molex MX64 F	Female	0.5	20	USA	-	13782720	R624 363
15465970	Molex MX64 F	Female	0.8	18	USA	-	13782720	R624 363
15491255	Molex MX64 F	Female	0.5	20	USA	-	13782720	R624 363
15491255	Molex MX64 F	Female	0.8	18	USA	-	13782720	R624 363
13576729	Molex MX64 F	Female	0.5	20	USA	-	13782720	R624 363
13576729	Molex MX64 F	Female	0.8	18	USA	-	13782720	R624 363
13576745	Molex MX64 F	Female	0.5	20	USA	-	13782720	R624 363
13576745	Molex MX64 F	Female	0.8	18	USA	-	13782720	R624 363
13543114	Micro HVT 1.2 Sealed	Female	0.35 - 0.5	22-20	USA	HT49010576-5	13782705	R624 1576

Reference Sheet for Delphi-Terminals

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	USA / Euro Cable	PSG Tool P/N	DELPHI P/N	Rennsteig P/N
13543115	Micro HVT 1.2 Sealed	Female	0.8	18	USA	HT49010576-5	13782705	R624 1576
13543117	Micro HVT 1.2 Sealed	Female	0.35 - 0.5	22-20	USA	HT49010576-5	13782705	R624 1576
13543118	Micro HVT 1.2 Sealed	Female	0.8	18	USA	HT49010576-5	13782705	R624 1576
13543116	Micro HVT 1.2 Sealed	Female	0.8 - 1	18 - 16	USA	HT49010577-5	13782706	R624 1577
13543119	Micro HVT 1.2 Sealed	Female	0.8 - 1	18 - 16	USA	HT49010577-5	13782706	R624 1577
13767043	OCS 0.64 IDR Thin Wall	Female	0.8	18	USA	HT62416053-5	13932558	R624 1605
13767044	OCS 0.64 IDR Thin Wall	Female	0.5	20	USA	HT62416053-5	13932558	R624 1605
13767044	OCS 0.64 IDR Thin Wall	Female	0.35	22	USA	HT62416053-5	13932558	R624 1605
13767045	OCS 0.64 IDR Thin Wall	Female	0.13	26	USA	HT62416053-5	13932558	R624 1605
13767046	OCS 0.64 IUR Thin Wall	Female	0.8	18	USA	HT62416053-5	13932558	R624 1605
13767047	OCS 0.64 IUR Thin Wall	Female	0.5	20	USA	HT62416053-5	13932558	R624 1605
13767047	OCS 0.64 IUR Thin Wall	Female	0.35	22	USA	HT62416053-5	13932558	R624 1605
13767048	OCS 0.64 IUR Thin Wall	Female	0.13	26	USA	HT62416053-5	13932558	R624 1605
13726148	OCS 0.64 ISM Thin Wall	Female	0.8	18	USA	HT62416053-5	13932558	R624 1605
13726147	OCS 0.64 ISM Thin Wall	Female	0.5	20	USA	HT62416053-5	13932558	R624 1605
13726147	OCS 0.64 ISM Thin Wall	Female	0.35	22	USA	HT62416053-5	13932558	R624 1605
13726146	OCS 0.64 ISM Thin Wall	Female	0.13	26	USA	HT62416053-5	13932558	R624 1605
13627884	Micro HVT 1.2 Sealed	Female	0.35 - 0.5	22-20	USA	HT49010576-5	13782705	R624 1576
13627886	Micro HVT 1.2 Sealed	Female	0.8	18	USA	HT49010576-5	13782705	R624 1576
13627887	Micro HVT 1.2 Sealed	Female	0.8 - 1	18 - 16	USA	HT49010577-5	13782706	R624 1577
13881789	OCS 1.2	Female	0.35	22	USA	TBD	13782705	R624 1576
13881789	OCS 1.2	Female	0.5	20	USA	TBD	13782705	R624 1576
13881788	OCS 1.2	Female	0.75	-	USA	TBD	13782705	R624 1576
13881788	OCS 1.2	Female	0.8	18	USA	TBD	13782705	R624 1576
13675577	Power Pack 1000	Male	8	-	USA		33109579	R632 009
13675583	Power Pack 1000	Inline	8	-	USA		33109579	R632 009
13675587	Power Pack 1000	Right Angle	8	-	USA		33109579	R632 009
13675573	Power Pack 1000	Inline	8	-	USA		31109579	R632 009
13675578	Power Pack 1000	Male	13	-	USA		33109580	R632 010

Reference Sheet for Delphi-Terminals

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	USA / Euro Cable	PSG Tool P/N	DELPHI P/N	Rennsteig P/N
13675584	Power Pack 1000	Inline	13	-	USA		33109580	R632 010
13675589	Power Pack 1000	Right Angle	13	-	USA		33109580	R632 010
13675574	Power Pack 1000	Male	13	-	USA		33109580	R632 010
13675578	Power Pack 1000	Male	16	-	USA		33109581	R632 011
13675584	Power Pack 1000	Inline	16	-	USA		33109581	R632 011
13675589	Power Pack 1000	Right Angle	16	-	USA		33109581	R632 011
13675574	Power Pack 1000	Male	16	-	USA		33109581	R632 011
13675579	Power Pack 1000	Male	19	-	USA		33109582	R632 012
13675585	Power Pack 1000	Inline	19	-	USA		33109582	R632 012
13675590	Power Pack 1000	Right Angle	19	-	USA		33109582	R632 012
13675575	Power Pack 1000	Male	19	-	USA		33109582	R632 012
13675579	Power Pack 1000	Male	25	-	USA		33109583	R632 013
13675585	Power Pack 1000	Inline	25	-	USA		33109583	R632 013
13675590	Power Pack 1000	Right Angle	25	-	USA		33109583	R632 013
13675575	Power Pack 1000	Inline	25	-	USA		33109583	R632 013
12103502	Ring Terminal ID8 Reg/Thin Wall	-	5	-	USA	HT632014PS-5	33164485	R632 014
12103501	Ring Terminal ID8 Reg/Thin Wall	-	5	-	USA	HT632014PS-5	33164485	R632 014
12103965	Ring Terminal ID8 Reg/Thin Wall	-	5	-	USA	HT632014PS-5	33164485	R632 014
12103502	Ring Terminal ID8 Standard/Heavy Wall	-	5	-	USA	HT632015PS-5	33164486	R632 015
12103501	Ring Terminal ID8 Standard/Heavy Wall	-	5	-	USA	HT632015PS-5	33164486	R632 015
12103965	Ring Terminal ID8 Standard/Heavy Wall	-	5	-	USA	HT632015PS-5	33164486	R632 015
12103502	Ring Terminal ID8 Reg/Thin Wall	-	8	-	USA	HT632016PS-5	33164487	R632 016
12103501	Ring Terminal ID8 Reg/Thin Wall	-	8	-	USA	HT632016PS-5	33164487	R632 016
12103965	Ring Terminal ID8 Reg/Thin Wall	-	8	-	USA	HT632016PS-5	33164487	R632 016
12103502	Ring Terminal ID8 Standard/Heavy Wall	-	8	-	USA	HT632017PS-5	33164488	R632 017
12103501	Ring Terminal ID8 Standard/Heavy Wall	-	8	-	USA	HT632017PS-5	33164488	R632 017
12103965	Ring Terminal ID8 Standard/Heavy Wall	-	8	-	USA	HT632017PS-5	33164488	R632 017
12103503	Ring Terminal ID10 Thin/Reg/Heavy Wall	-	2	-	USA	HT632018PS-5	33164489	R632 018
12103504	Ring Terminal ID10 Thin/Reg/Heavy Wall	-	2	-	USA	HT632018PS-5	33164489	R632 018

Reference Sheet for Delphi-Terminals

Terminal P/N	Product Family	Gender	Gage Size Metric (mm2)	Gage Size AWG	USA / Euro Cable	PSG Tool P/N	DELPHI P/N	Rennsteig P/N
12162098	Ring Terminal ID10 Thin/Reg/Heavy Wall	-	2	-	USA	HT632018PS-5	33164489	R632 018
12103517	Ring Terminal ID10 Thin/Reg/Heavy Wall	-	2	-	USA	HT632018PS-5	33164489	R632 018
12103518	Ring Terminal ID10 Thin/Reg/Heavy Wall	-	2	-	USA	HT632018PS-5	33164489	R632 018
12103503	Ring Terminal ID10 Thin/Reg/Heavy Wall	-	3	-	USA	HT632019PS-5	33164490	R632 019
12103504	Ring Terminal ID10 Thin/Reg/Heavy Wall	-	3	-	USA	HT632019PS-5	33164490	R632 019
12162098	Ring Terminal ID10 Thin/Reg/Heavy Wall	-	3	-	USA	HT632019PS-5	33164490	R632 019
12103517	Ring Terminal ID10 Thin/Reg/Heavy Wall	-	3	-	USA	HT632019PS-5	33164490	R632 019
12103512	Ring Terminal ID10 Thin/Reg/Heavy Wall	-	3	-	USA	HT632019PS-5	33164490	R632 019
12103518	Ring Terminal ID10 Thin/Reg/Heavy Wall	-	3	-	USA	HT632019PS-5	33164490	R632 019
12103503	Ring Terminal ID10 Thin/Reg/Heavy Wall	-	5	-	USA	HT632020PS-5	33164491	R632 020
12103504	Ring Terminal ID10 Thin/Reg/Heavy Wall	-	5	-	USA	HT632020PS-5	33164491	R632 020
12162098	Ring Terminal ID10 Thin/Reg/Heavy Wall	-	5	-	USA	HT632020PS-5	33164491	R632 020
12103517	Ring Terminal ID10 Thin/Reg/Heavy Wall	-	5	-	USA	HT632020PS-5	33164491	R632 020
12103518	Ring Terminal ID10 Thin/Reg/Heavy Wall	-	5	-	USA	HT632020PS-5	33164491	R632 020
13849929	OCS 1.5	Female	0.35	-	USA	TBD	35042517	R624 1674
13849929	OCS 1.5	Female	0.5	-	USA	TBD	35042517	R624 1674
15396711	TTS 1.5	Male	0.35	-	USA	TBD	35080112	R624 1675
15396712	TTS 1.5	Male	0.5	-	USA	TBD	35080112	R624 1675
15396712	TTS 1.5	Male	0.75	-	USA	TBD	35080112	R624 1675
13849933	OCS 2.8	Female	0.35	-	USA	TBD	35042516	R624 1676
13849933	OCS 2.8	Female	0.5	-	USA	TBD	35042516	R624 1676
13881789	OCS 1.2	Female	0.35	-	USA	TBD	35042518	R624 1677
13881789	OCS 1.2	Female	0.5	-	USA	TBD	35042518	R624 1677

RENNSTEIG TOOLS, Inc. | 411 Hackensack Avenue, Suite 200 | Rutherford, NJ 07601-6331